

Shurjoint Products for Fire Protection Piping Systems - Regulatory Approval Guide

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|--------|--------|--|--------|-----|--------|--------|-----------|-----------------------------|
| | | | | | cULus | FM | VdS | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Couplings | in | mm | in | mm | | | | | | Submittal | Note |
| Model 7705 Flexible Coupling | 1 | 25 | 1.315 | 33.4 | 300/20 | 300/20 | 16 | - | 230/16 | C-01 | 1, 2-1, 14, 15, 2-2, 18, 19 |
| | 1½ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 108.0mm | 4.250 | 108.0 | - | - | 16 | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 133.0mm | 5.250 | 133.0 | - | - | 16 | - | - | | |
| | 5 | 139.7mm | 5.500 | 139.7 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 159.0mm | 6.250 | 159.0 | - | - | 16 | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | 300/20 | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | 300/20 | 230/16 | | |
| | 10 | 250 | 10.750 | 273.0 | 175/12 | 175/12 | - | - | 230/16 | | |
| 12 | 300 | 12.750 | 323.9 | 175/12 | 175/12 | - | - | 230/16 | | | |
| Model 7705H | 8 | 200 | 8.625 | 219.1 | 450/31 | 450/31 | 16 | - | 230/16 | | |
| Model 7707 Flexible Coupling | ¾ | 20 | 1.050 | 26.7 | 500/35 | - | - | - | - | C-02 | 1, 3-1, 14, 17, 3-2, 18, 19 |
| | 1 | 25 | 1.315 | 33.4 | 500/35 | - | - | - | - | | |
| | 1½ | 32 | 1.660 | 42.2 | 500/35 | - | - | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | - | 500/35 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 500/35 | 500/35 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 500/35 | 500/35 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 500/35 | 500/35 | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 500/35 | 500/35 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 500/35 | 500/35 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 500/35 | 500/35 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 500/35 | 500/35 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 500/35 | 500/35 | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 500/35 | 500/35 | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 500/35 | 500/35 | - | - | - | | |
| | 10 | 250 | 10.750 | 273.0 | 300/20 | 500/35 | - | - | - | | |
| | 12 | 300 | 12.750 | 323.9 | 300/20 | 300/20 | - | - | - | | |
| | 14 | 350 | 14.000 | 355.6 | 300/20 | 175/12 | - | - | - | | |
| | 16 | 400 | 16.000 | 406.4 | 300/20 | 175/12 | - | - | - | | |
| | 18 | 450 | 18.000 | 457.2 | 250/17 | 175/12 | - | - | - | | |
| | 20 | 500 | 20.000 | 508.0 | 250/17 | 175/12 | - | - | - | | |
| 22 | 550 | 22.000 | 558.8 | - | 175/12 | - | - | - | | | |
| 24 | 600 | 24.000 | 609.6 | 250/17 | 250/17 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|--------|--------|--|--------|-----|--------|--------|-----------|-------------------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Shurjoint Couplings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model K-9 Lightweight Rigid Coupling | 1½ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | 16 | 225/15 | 230/16 | G-01 | 1, 4-1, 4-2 |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | 16 | 225/15 | 230/16 | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | 16 | 175/12 | 230/16 | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | 300/20 | 16 | 175/12 | 230/16 | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | 16 | 175/12 | 230/16 | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | 16 | 175/12 | 230/16 | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | 300/20 | 16 | 225/15 | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | 175/12 | - | | |
| Model K-9H | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | 225/15 | 230/16 | | |
| | 8 | 200 | 8.625 | 219.1 | 350/23 | 300/20 | 16 | 300/20 | 230/16 | | |
| Model 7771 Rigid Coupling | 1½ | 40 | 1.900 | 48.3 | - | 500/35 | - | - | 230/16 | C-05 | 1, 5-1, 5-2 |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | - | - | 230/16 | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 10 | 250 | 10.750 | 273.0 | 175/12 | 200/14 | - | - | - | | |
| | 12 | 300 | 12.750 | 323.9 | 175/12 | 300/20 | - | - | - | | |
| | 14 | 350 | 14.000 | 355.6 | 300/20 | 175/12 | - | - | - | | |
| 16 | 400 | 16.000 | 406.4 | 300/20 | 175/12 | - | - | - | | | |
| 18 | 450 | 18.000 | 457.2 | 300/20 | 175/12 | - | - | - | | | |
| 20 | 500 | 20.000 | 508.0 | 300/20 | 175/12 | - | - | - | | | |
| 22 | 550 | 22.000 | 558.8 | 250/17 | 175/12 | - | - | - | | | |
| 24 | 600 | 24.000 | 609.6 | 250/17 | 175/12 | - | - | - | | | |
| Model R20 Rigid Coupling | 1½ | 32 | 1.660 | 42.2 | 300/20 | - | - | - | - | C-13 | 1, 6-1 |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | - | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | - | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | 300/20 | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | - | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | - | - | | |
| 6 | 150 | 6.625 | 168.3 | 300/20 | - | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes | |
|---|-------------------|-------------|-------------|-------------|--|---------|--------|--------|--------|-----------|---------------------|-----------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | | Submittal |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | | |
| Shurjoint Couplings | In | mm | in | mm | | | | | | | | |
| Model Z05 Angle Pad Rigid Coupling | 1½ | 32 | 1.660 | 42.2 | 350/24 | 350/24 | 16 | 175/12 | - | G-03 | 1, 7-1, 7-2 | |
| | 1½ | 40 | 1.900 | 48.3 | 350/24 | 350/24 | 16 | 175/12 | - | | | |
| | 2 | 50 | 2.375 | 60.3 | 350/24 | 350/24 | 16 | 175/12 | - | | | |
| | 2½ | 65 | 2.875 | 73.0 | 350/24 | 350/24 | - | - | - | | | |
| | | 76.1mm | 3.000 | 76.1 | 350/24 | - | 16 | 175/12 | - | | | |
| | 3 | 80 | 3.500 | 88.9 | 350/24 | 350/24 | 16 | 175/12 | - | | | |
| | 4 | 100 | 4.500 | 114.3 | 350/24 | 350/24 | 16 | 175/12 | - | | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | 16 | 175/12 | - | | | |
| | 5 | 125 | 5.563 | 141.3 | 350/24 | 350/24 | - | - | - | | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | 175/12 | - | | | |
| | 6 | 150 | 6.625 | 168.3 | 350/24 | 350/24 | 16 | - | - | | | |
| | 8 | 200 | 8.625 | 219.1 | 350/24 | 350/24 | 16 | 175/12 | - | | | |
| Model Z07 Angle Pad Coupling | 1½ | 32 | 1.660 | 42.2 | 500/35 | 500/35 | 16 | 300/20 | - | C-06 | 1, 8-1, 8-2 | |
| | 1½ | 40 | 1.900 | 48.3 | 500/35 | 500/35 | 16 | 300/20 | - | | | |
| | 2 | 50 | 2.375 | 60.3 | 500/35 | 500/35 | 16 | 300/20 | - | | | |
| | 2½ | 65 | 2.875 | 73.0 | 500/35 | 500/35 | - | - | - | | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | 16 | 300/20 | - | | | |
| | 3 | 80 | 3.500 | 88.9 | 500/35 | 500/35 | 16 | 300/20 | - | | | |
| | 4 | 100 | 4.500 | 114.3 | 500/35 | 500/35 | 16 | 300/20 | - | | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | 16 | 300/20 | - | | | |
| | 5 | 125 | 5.563 | 141.3 | 400/28 | 400/28 | - | - | - | | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | 300/20 | - | | | |
| | | 6 | 150 | 6.625 | 168.3 | 400/28 | 400/28 | 16 | - | | | - |
| | | 8 JIS | 216.3mm | 8.516 | 216.3 | 400/28* | - | - | - | | | - |
| | | 8 | 200 | 8.625 | 219.1 | 400/28 | 400/28 | 16 | 300/20 | | | - |
| * for KS D3507 pipe | 10 JIS | 267.4mm | 10.528 | 267.4 | 350/24* | - | - | - | - | | | |
| | 10 | 250 | 10.750 | 273.0 | 350/24 | 350/24 | 12.5 | 300/20 | - | | | |
| *ULus only | 12 JIS | 318.5mm | 12.539 | 318.5 | 350/24* | - | - | - | - | | | |
| | 12 | 300 | 12.750 | 323.9 | 350/24 | 350/24 | 12.5 | 300/20 | - | | | |
| Model 7706 Reducing Coupling | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | 300/20 | 300/20 | 16 | 300/20 | - | C-07 | 1, 10-1, 10-2 | |
| | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | 300/20 | 300/20 | - | - | - | | | |
| | | 76.1mmx50 | 3.000x2.375 | 76.1x60.3 | 300/20 | 300/20 | 16 | 300/20 | - | | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | 16 | 300/20 | - | | | |
| | 3x2½ | 80x65 | 3.500x2.875 | 88.9x73.0 | 300/20 | 300/20 | - | - | - | | | |
| | | 80x76.1mm | 3.500x3.000 | 88.9x76.1 | - | 300/20 | 16 | 300/20 | - | | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | 16 | 300/20 | - | | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | | |
| | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | 300/20 | 300/20 | 16 | 300/20 | - | | | |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 300/20 | 300/20 | 16 | 300/20 | - | | | |
| | | 139.7mmx100 | 5.500x4.500 | 139.7x114.3 | - | 300/20 | - | - | - | | | |
| | 5x4 | 125x100 | 5.563x4.500 | 141.3x114.3 | - | 300/20 | - | - | - | | | |
| | | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | - | 300/20 | - | - | - | | | |
| | | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | 300/20 | 300/20 | - | 300/20 | - | | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 300/20 | 300/20 | - | - | - | | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | 300/20 | - | - | - | | | |
| | 200x165.1mm | 8.625x6.500 | 219.1x165.1 | - | 300/20 | - | 300/20 | - | | | | |
| | 8x6 | 200x150 | 8.625x6.625 | 219.1x168.3 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------|------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Couplings | In | mm | in | mm | | | | | | | |
| Model C-7 (G/M) Outlet Coupling | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | C-10 | 1 |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x1 | 80x25 | 3.500x1.315 | 88.9x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | - | - | - | | | |
| Model C-7F Outlet Coupling | 1½x½ | 40x15 | 1.900x0.840 | 48.3x21.3 | 300/20 | 300/20 | - | - | - | C-10 | 1 |
| | 1½x¾ | 40x20 | 1.900x1.050 | 48.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 1½x1 | 40x25 | 1.900x1.315 | 48.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2x½ | 50x15 | 2.375x0.840 | 60.3x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x¾ | 50x20 | 2.375x1.050 | 60.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2½x½ | 65x15 | 2.875x0.840 | 73.0x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x¾ | 65x20 | 2.875x1.050 | 73.0x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 3x¾ | 80x20 | 3.500x1.050 | 88.9x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 3x1 | 80x25 | 3.500x1.315 | 88.9x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 4x¾ | 100x20 | 4.500x1.050 | 114.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 4x1 | 100x25 | 4.500x1.315 | 114.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 6x1 | 150x25 | 6.625x1.315 | 168.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|--------|-------|--|--------|-----|--------|-------|-----------|-------------------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Flanges | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7041 Flange Adapter | 2 | 50 | 2.375 | 60.3 | 175/12 | 300/20 | - | 300/20 | - | D-01 | 1, 9-1, 9-2 |
| | 2½ | 65 | 2.875 | 73.0 | 175/12 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 175/12 | 300/20 | - | 230/16 | - | | |
| | 3 | 80 | 3.500 | 88.9 | 175/12 | 300/20 | - | 230/16 | - | | |
| | 4 | 100 | 4.500 | 114.3 | 175/12 | 300/20 | - | 230/16 | - | | |
| | | 139.7mm | 5.500 | 139.7 | 175/12 | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 175/12 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | 230/16 | - | | |
| | 6 | 150 | 6.625 | 168.3 | 175/12 | 300/20 | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 175/12 | 300/20 | - | 230/16 | - | | |
| | 10 | 250 | 10.750 | 273.0 | 175/12 | 175/12 | - | - | - | | |
| | 12 | 300 | 12.750 | 323.9 | 175/12 | 175/12 | - | - | - | | |
| | 14 | 350 | 14.000 | 355.6 | - | 175/12 | - | - | - | | |
| | 16 | 400 | 16.000 | 406.4 | - | 175/12 | - | - | - | | |
| 24 | 600 | 24.000 | 609.6 | - | 175/12 | - | - | - | | | |
| Model 7043 Flange Adapter | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | D-03 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | |
| | 10 | 250 | 10.750 | 273.0 | 300/20 | 300/20 | - | - | - | | |
| | 12 | 300 | 12.750 | 323.9 | 300/20 | 300/20 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|----------------|-------------|-------------|--|--------|-----|--------|--------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Hole-Cut Fittings | in | mm | in | mm | | | | | | | |
| Model 7721 | 2x½ | 50x15 | 2.375x0.840 | 60.3x21.3 | 300/20 | 300/20 | - | - | 230/16 | F-01 | 1, 13 |
| Mec. Tee | 2x¾ | 50x20 | 2.375x1.050 | 60.3x26.7 | 300/20 | 300/20 | - | - | 230/16 | | |
| Threaded Outlet | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 2x1¼ | 50x32 | 2.375x1.660 | 60.3x42.2 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 2½x¾ | 65x15 | 2.875x0.840 | 73.0x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x¾ | 65x20 | 2.875x1.050 | 73.0x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx15 | 3.000x0.840 | 76.1x21.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | | 76.1mmx20 | 3.000x1.050 | 76.1x26.7 | 300/20 | 300/20 | - | - | 230/16 | | |
| | | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | 300/20 | 300/20 | - | - | 230/16 | | |
| | | 76.1mmx32 | 3.000x1.660 | 76.1x42.2 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 76.1mmx40 | 3.000x1.900 | 76.1x48.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 3x½ | 80x15 | 3.500x0.840 | 88.9x21.3 | - | - | - | - | 230/16 | | |
| | 3x1 | 80x25 | 3.500x1.315 | 88.9x33.4 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 3x1¼ | 80x32 | 3.500x1.660 | 88.9x42.2 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 4x½ | 100x15 | 4.500x0.840 | 114.3x21.3 | - | - | - | - | 230/16 | | |
| | 4x1 | 100x25 | 4.500x1.315 | 114.3x33.4 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 4x1¼ | 100x32 | 4.500x1.660 | 114.3x42.2 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 139.7mmx76.1mm | 5.500x3.000 | 139.7x76.1 | - | 300/20 | - | - | - | | |
| | 5x2 | 125x50 | 5.563x2.375 | 141.3x60.3 | - | 300/20 | - | - | - | | |
| | 5x2½ | 125x65 | 5.563x2.875 | 141.3x73.0 | - | 300/20 | - | - | - | | |
| | | 125x76.1mm | 5.563x3.000 | 141.3x76.1 | - | - | - | - | 230/16 | | |
| | | 165.1mmx32 | 6.500x1.660 | 165.1x42.2 | 300/20 | 300/20 | - | 300/20 | - | | |
| | | 165.1mmx40 | 6.500x1.900 | 165.1x48.3 | 300/20 | 300/20 | - | 300/20 | - | | |
| | | 165.1mmx50 | 6.500x2.375 | 165.1x60.3 | 300/20 | 300/20 | - | 300/20 | - | | |
| | | 165.1mmx76.1mm | 6.500x3.000 | 165.1x76.1 | 300/20 | 300/20 | - | 300/20 | - | | |
| | | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | 300/20 | 300/20 | - | 300/20 | - | | |
| | | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | 300/20 | 300/20 | - | 300/20 | - | | |
| | 6x1¼ | 150x32 | 6.625x1.660 | 168.3x42.2 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 150x76.1mm | 6.625x3.000 | 168.3x76.1 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | 300/20 | 16 | - | 230/16 | | |
| | 8x2 | 200x50 | 8.625x2.375 | 219.1x60.3 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 8x2½ | 200x65 | 8.625x2.875 | 219.1x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 200x76.1mm | 8.625x3.000 | 219.1x76.1 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 8x3 | 200x80 | 8.625x3.500 | 219.1x88.9 | 300/20 | 300/20 | - | - | 230/16 | | |
| | 8x4 | 200x100 | 8.625x4.500 | 219.1x114.3 | 300/20 | 300/20 | - | - | 230/16 | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes | |
|---|-------------------|----------------|-------------|-------------|--|--------|--------|--------|--------|-----------|-------|--|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | | |
| Shurjoint Hole-Cut Fittings | In | mm | in | mm | | | | | | | | |
| Model 7722 | 2x½ | 50x15 | 2.375x0.840 | 60.3x21.3 | - | - | - | - | 230/16 | | | |
| Mec. Tee | 2x¾ | 50x20 | 2.375x1.050 | 60.3x26.7 | - | - | - | - | 230/16 | | | |
| Grooved-End Outlet | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | - | - | - | - | 230/16 | | | |
| | 2x1¼ | 50x32 | 2.375x1.660 | 60.3x42.2 | - | - | - | - | 230/16 | | | |
| | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | - | - | - | - | 230/16 | | | |
| | 2½x½ | 65x15 | 2.875x0.840 | 73.0x21.3 | - | - | - | - | - | | | |
| | 2½x¾ | 65x20 | 2.875x1.050 | 73.0x26.7 | - | - | - | - | - | | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | - | - | - | - | - | | | |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | - | - | - | - | - | | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | - | - | - | - | - | | | |
| | | 76.1mmx15 | 3.000x0.840 | 76.1x21.3 | - | - | - | - | 230/16 | | | |
| | | 76.1mmx20 | 3.000x1.050 | 76.1x26.7 | - | - | - | - | 230/16 | | | |
| | | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | - | - | - | - | 230/16 | | | |
| | | 76.1mmx32 | 3.000x1.660 | 76.1x42.2 | - | - | 16 | - | 230/16 | | | |
| | | 76.1mmx40 | 3.000x1.900 | 76.1x48.3 | - | - | 16 | - | 230/16 | | | |
| | | 3x½ | 80x15 | 3.500x0.840 | 88.9x21.3 | - | - | - | - | 230/16 | | |
| | | 3x1 | 80x25 | 3.500x1.315 | 88.9x33.4 | - | - | - | - | 230/16 | | |
| | | 3x1¼ | 80x32 | 3.500x1.660 | 88.9x42.2 | - | - | 16 | - | 230/16 | | |
| | | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 4x½ | 100x15 | 4.500x0.840 | 114.3x21.3 | - | - | - | - | 230/16 | | |
| | | 4x1 | 100x25 | 4.500x1.315 | 114.3x33.4 | - | - | - | - | 230/16 | | |
| | | 4x1¼ | 100x32 | 4.500x1.660 | 114.3x42.2 | - | - | 16 | - | 230/16 | | |
| | | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | 300/20 | - | 16 | 300/20 | 230/16 | | F-02 | |
| | | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 300/20 | 300/20 | 16 | 300/20 | 230/16 | | |
| | | 139.7mmx32 | 5.500x1.660 | 139.7x42.2 | - | - | - | - | - | | | |
| | | 139.7mmx40 | 5.500x1.900 | 139.7x48.3 | - | - | - | - | - | | | |
| | | 139.7mmx50 | 5.500x2.375 | 139.7x60.3 | - | 300/20 | - | - | - | | | |
| | | 139.7mmx76.1mm | 5.500x3.000 | 139.7x76.1 | - | - | - | - | - | | | |
| | | 5x2 | 125x50 | 5.563x2.375 | 141.3x60.3 | - | 300/20 | - | - | - | | |
| | | 5x2½ | 125x65 | 5.563x2.875 | 141.3x73.0 | - | 300/20 | - | - | - | | |
| | | 125x76.1mm | 5.563x3.000 | 141.3x76.1 | - | - | - | - | 230/16 | | | |
| | | 165.1mmx40 | 6.500x1.900 | 165.1x48.3 | 300/20 | 300/20 | - | 300/20 | - | | | |
| | 165.1mmx50 | 6.500x2.375 | 165.1x60.3 | 300/20 | 300/20 | - | 300/20 | - | | | | |
| | 165.1mmx76.1mm | 6.500x3.000 | 165.1x76.1 | 300/20 | - | - | 300/20 | - | | | | |
| | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | 300/20 | 300/20 | - | 300/20 | - | | | | |
| | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | 300/20 | 300/20 | - | 300/20 | - | | | | |
| | 6x1¼ | 150x32 | 6.625x1.660 | 168.3x42.2 | - | - | - | - | 230/16 | | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | 16 | - | 230/16 | | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | 16 | - | 230/16 | | | |
| | 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | 300/20 | - | - | - | | | |
| | 150x76.1mm | 6.625x3.000 | 168.3x76.1 | 300/20 | - | 16 | - | 230/16 | | | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 300/20 | 300/20 | 16 | - | 230/16 | | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | 300/20 | 16 | - | 230/16 | | | |
| | 8x2 | 200x50 | 8.625x2.375 | 219.1x60.3 | 300/20 | 300/20 | - | - | 230/16 | | | |
| | 8x2½ | 200x65 | 8.625x2.875 | 219.1x73.0 | 300/20 | 300/20 | - | - | - | | | |
| | 200x76.1mm | 8.625x3.000 | 219.1x76.1 | 300/20 | - | - | - | 230/16 | | | | |
| | 8x3 | 200x80 | 8.625x3.500 | 219.1x88.9 | 300/20 | 300/20 | - | - | 230/16 | | | |
| | 8x4 | 200x100 | 8.625x4.500 | 219.1x114.3 | 300/20 | 300/20 | - | - | 230/16 | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|----------------|-------------|-------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Shurjoint Hole-Cut Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model M21 | 2x½ | 50x15 | 2.375x0.840 | 60.3x21.3 | 300/20 | 300/20 | - | - | - | F-07 | 22 |
| Mec. Tee | 2x¾ | 50x20 | 2.375x1.050 | 60.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| Threaded Outlet | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2x1¼ | 50x32 | 2.375x1.660 | 60.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x½ | 65x15 | 2.875x0.840 | 73.0x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x¾ | 65x20 | 2.875x1.050 | 73.0x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx15 | 3.000x0.840 | 76.1x21.3 | 300/20 | - | - | - | - | | |
| | | 76.1mmx20 | 3.000x1.050 | 76.1x26.7 | 300/20 | - | - | - | - | | |
| | | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | 300/20 | - | - | - | - | | |
| | | 76.1mmx32 | 3.000x1.660 | 76.1x42.2 | 300/20 | - | - | - | - | | |
| | | 76.1mmx40 | 3.000x1.900 | 76.1x48.3 | 300/20 | - | - | - | - | | |
| | 3x½ | 80x15 | 3.500x0.840 | 88.9x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x¾ | 80x20 | 3.500x1.050 | 88.9x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 3x1 | 80x25 | 3.500x1.315 | 88.9x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 3x1¼ | 80x32 | 3.500x1.660 | 88.9x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x½ | 100x15 | 4.500x0.840 | 114.3x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x¾ | 100x20 | 4.500x1.050 | 114.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 4x1 | 100x25 | 4.500x1.315 | 114.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 4x1¼ | 100x32 | 4.500x1.660 | 114.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 175/12 | 175/12 | - | - | - | | |
| | 5x2 | 125x50 | 5.563x2.375 | 141.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 5x2½ | 125x65 | 5.563x2.875 | 141.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 5x3 | 125x80 | 5.563x3.500 | 141.3x88.9 | 300/20 | - | - | - | - | | |
| | | 139.7mmx50 | 5.500x2.375 | 139.7x60.3 | 300/20 | - | - | - | - | | |
| | | 139.7mmx76.1mm | 5.500x3.000 | 139.7x76.1 | 300/20 | - | - | - | - | | |
| | | 139.7mmx80 | 5.500x3.500 | 139.7x88.9 | 300/20 | - | - | - | - | | |
| | 6x1¼ | 150x32 | 6.625x1.660 | 168.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 175/12 | 175/12 | - | - | - | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 175/12 | 175/12 | - | - | - | | |
| | | 165.1mmx32 | 6.500x1.660 | 165.1x42.2 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx40 | 6.500x1.900 | 165.1x48.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx50 | 6.500x2.375 | 165.1x60.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx76.1mm | 6.500x3.000 | 165.1x76.1 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | 175/12 | 175/12 | - | - | - | | |
| | | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | 175/12 | 175/12 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|----------------|-------------|-------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Hole-Cut Fittings | In | mm | in | mm | | | | | | | |
| Model M22 | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | F-08 | 23 |
| Mec. Tee | 2x1½ | 50x32 | 2.375x1.660 | 60.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| Grooved-End Outlet | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | - | 300/20 | - | - | - | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | 300/20 | - | - | - | - | | |
| | | 76.1mmx32 | 3.000x1.660 | 76.1x42.2 | 300/20 | - | - | - | - | | |
| | | 76.1mmx40 | 3.000x1.900 | 76.1x48.3 | 300/20 | - | - | - | - | | |
| | 3x1 | 80x25 | 3.500x1.315 | 88.9x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 3x1¼ | 80x32 | 3.500x1.660 | 88.9x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x1 | 100x25 | 4.500x1.315 | 114.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 4x1¼ | 100x32 | 4.500x1.660 | 114.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x73.0 | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | 300/20 | 300/20 | - | - | - | | |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 175/12 | 175/12 | - | - | - | | |
| | 5x2 | 125x50 | 5.563x2.375 | 141.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 5x73.0 | 125x65 | 5.563x2.875 | 141.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 125x76.1mm | 5.563x3.000 | 141.3x76.1 | 300/20 | 300/20 | - | - | - | | |
| | 5x3 | 125x80 | 5.563x3.500 | 141.3x88.9 | 300/20 | - | - | - | - | | |
| | 6x1¼ | 150x32 | 6.625x1.660 | 168.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 175/12 | 175/12 | - | - | - | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 175/12 | 175/12 | - | - | - | | |
| | | 165.1mmx32 | 6.500x1.660 | 165.1x42.2 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx40 | 6.500x1.900 | 165.1x48.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx50 | 6.500x2.375 | 165.1x60.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx76.1mm | 6.500x3.000 | 165.1x76.1 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | 175/12 | 175/12 | - | - | - | | |
| | | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | 175/12 | 175/12 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------------|-------------------|-----------------|--|----|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Hole-Cut Fittings | In | mm | in | mm | | | | | | | |
| Model 7721C † | 2½x1¼x1¼ | 65x32x32 | 2.875x1.660x1.660 | 73.0x42.2x42.2 | - | - | 16 | - | - | F-06 | - |
| Mec. Cross | 3x1½x1¼ | 80x32x32 | 3.500x1.660x1.660 | 88.9x42.2x42.2 | - | - | 16 | - | - | | |
| (ThreadedxThreaded) | 3x1½x1½ | 80x40x32 | 3.500x1.900x1.660 | 88.9x48.3x42.2 | - | - | 16 | - | - | | |
| | 3x1½x1½ | 80x40x40 | 3.500x1.900x1.900 | 88.9x48.3x48.3 | - | - | 16 | - | - | | |
| | 4x1¼x1¼ | 100x32x32 | 4.500x1.660x1.660 | 114.3x42.2x42.2 | - | - | 16 | - | - | | |
| | 4x1¼x1¼ | 100x40x32 | 4.500x1.900x1.660 | 114.3x48.3x42.2 | - | - | 16 | - | - | | |
| | 4x1¼x1½ | 100x40x40 | 4.500x1.900x1.900 | 114.3x48.3x48.3 | - | - | 16 | - | - | | |
| | 4x2x1¼ | 100x50x32 | 4.500x2.375x1.660 | 114.3x60.3x42.2 | - | - | 16 | - | - | | |
| | 4x2x1½ | 100x50x40 | 4.500x2.375x1.900 | 114.3x60.3x48.3 | - | - | 16 | - | - | | |
| | 4x2x2 | 100x50x50 | 4.500x2.375x2.375 | 114.3x60.3x60.3 | - | - | 16 | - | - | | |
| | 6x1¼x1¼ | 150x32x32 | 6.625x1.660x1.660 | 168.3x42.2x42.2 | - | - | 16 | - | - | | |
| | 6x1¼x1¼ | 150x40x32 | 6.625x1.900x1.660 | 168.3x48.3x42.2 | - | - | 16 | - | - | | |
| | 6x1¼x1½ | 150x40x40 | 6.625x1.900x1.900 | 168.3x48.3x48.3 | - | - | 16 | - | - | | |
| | 6x2x1¼ | 150x50x32 | 6.625x2.375x1.660 | 168.3x60.3x42.2 | - | - | 16 | - | - | | |
| | 6x2x1½ | 150x50x40 | 6.625x2.375x1.900 | 168.3x60.3x48.3 | - | - | 16 | - | - | | |
| | 6x2x2 | 150x50x50 | 6.625x2.375x2.375 | 168.3x60.3x60.3 | - | - | 16 | - | - | | |
| | 6x2½x1¼ | 150x65x32 | 6.625x2.875x1.660 | 168.3x73.0x42.2 | - | - | 16 | - | - | | |
| | 6x2½x1½ | 150x65x40 | 6.625x2.875x1.900 | 168.3x73.0x48.3 | - | - | 16 | - | - | | |
| | 6x2½x2 | 150x65x50 | 6.625x2.875x2.375 | 168.3x73.0x60.3 | - | - | 16 | - | - | | |
| | 6x2½x2½ | 150x65x65 | 6.625x2.875x2.875 | 168.3x73.0x73.0 | - | - | 16 | - | - | | |
| | 6x3x1¼ | 150x80x32 | 6.625x3.500x1.660 | 168.3x88.9x42.2 | - | - | 16 | - | - | | |
| | 6x3x1½ | 150x80x40 | 6.625x3.500x1.900 | 168.3x88.9x48.3 | - | - | 16 | - | - | | |
| | 6x3x2 | 150x80x50 | 6.625x3.500x2.375 | 168.3x88.9x60.3 | - | - | 16 | - | - | | |
| | 6x3x2½ | 150x80x65 | 6.625x3.500x2.875 | 168.3x88.9x73.0 | - | - | 16 | - | - | | |
| | 6x3x3 | 150x80x80 | 6.625x3.500x3.500 | 168.3x88.9x88.9 | - | - | 16 | - | - | | |
| Model 7722C † | 3x1½x1½ | 80x40x40 | 3.500x1.900x1.900 | 88.9x48.3x48.3 | - | - | 16 | - | - | F-06 | - |
| Mec. Cross | 4x1½x1½ | 100x40x40 | 4.500x1.900x1.900 | 114.3x48.3x48.3 | - | - | 16 | - | - | | |
| (GroovedxGrooved) | 4x2x1½ | 100x50x40 | 4.500x2.375x1.900 | 114.3x60.3x48.3 | - | - | 16 | - | - | | |
| | 4x2x2 | 100x50x50 | 4.500x2.375x2.375 | 114.3x60.3x60.3 | - | - | 16 | - | - | | |
| | 6x1½x1½ | 150x40x40 | 6.625x1.900x1.900 | 168.3x48.3x48.3 | - | - | 16 | - | - | | |
| | 6x2x1½ | 150x50x40 | 6.625x2.375x1.900 | 168.3x60.3x48.3 | - | - | 16 | - | - | | |
| | 6x2x2 | 150x50x50 | 6.625x2.375x2.375 | 168.3x60.3x60.3 | - | - | 16 | - | - | | |
| | | 150x76.1mmx40 | 6.625x3.000x1.900 | 168.3x76.1x48.3 | - | - | 16 | - | - | | |
| | | 150x76.1mmx50 | 6.625x3.000x2.375 | 168.3x76.1x60.3 | - | - | 16 | - | - | | |
| | | 150x76.1mmx76.1mm | 6.625x3.000x3.000 | 168.3x76.1x76.1 | - | - | 16 | - | - | | |
| | 6x3x1½ | 150x80x40 | 6.625x3.500x1.900 | 168.3x88.9x48.3 | - | - | 16 | - | - | | |
| | 6x3x2 | 150x80x50 | 6.625x3.500x2.375 | 168.3x88.9x60.3 | - | - | 16 | - | - | | |
| | | 150x80x76.1mm | 6.625x3.500x3.000 | 168.3x88.9x76.1 | - | - | 16 | - | - | | |
| | 6x3x3 | 150x80x80 | 6.625x3.500x3.500 | 168.3x88.9x88.9 | - | - | 16 | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

† The recommended branch size should be at least 3 sizes smaller than the run size.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------------|-------------------|-----------------|--|--------|--------|--------|-------|-----------|---------------------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Hole-Cut Fittings | In | mm | in | mm | | | | | | | |
| Model 7723C † Mec. Cross (ThreadedxGrooved) | 3x1¼x1½ | 80x32x40 | 3.500x1.660x1.900 | 88.9x42.2x48.3 | - | - | 16 | - | - | F-06 | - |
| | 3x1½x1½ | 80x40x40 | 3.500x1.900x1.900 | 88.9x48.3x48.3 | - | - | 16 | - | - | | |
| | 4x1¼x1½ | 100x32x40 | 4.500x1.660x1.900 | 114.3x42.2x48.3 | - | - | 16 | - | - | | |
| | 4x1¼x2 | 100x32x50 | 4.500x1.660x2.375 | 114.3x42.2x60.3 | - | - | 16 | - | - | | |
| | 4x1½x1½ | 100x40x40 | 4.500x1.900x1.900 | 114.3x48.3x48.3 | - | - | 16 | - | - | | |
| | 4x1½x2 | 100x40x50 | 4.500x1.900x2.375 | 114.3x48.3x60.3 | - | - | 16 | - | - | | |
| | 4x2x1½ | 100x50x40 | 4.500x2.375x1.900 | 114.3x60.3x48.3 | - | - | 16 | - | - | | |
| | 4x2x2 | 100x50x50 | 4.500x2.375x2.375 | 114.3x60.3x60.3 | - | - | 16 | - | - | | |
| | 6x1¼x1½ | 150x32x40 | 6.625x1.660x1.900 | 168.3x42.2x48.3 | - | - | 16 | - | - | | |
| | 6x1¼x2 | 150x32x50 | 6.625x1.660x2.375 | 168.3x42.2x60.3 | - | - | 16 | - | - | | |
| | | 150x32x76.1mm | 6.625x1.660x3.000 | 168.3x42.2x76.1 | - | - | 16 | - | - | | |
| | 6x1¼x3 | 150x32x80 | 6.625x1.660x3.500 | 168.3x42.2x88.9 | - | - | 16 | - | - | | |
| | 6x1½x1½ | 150x40x40 | 6.625x1.900x1.900 | 168.3x48.3x48.3 | - | - | 16 | - | - | | |
| | 6x1½x2 | 150x40x50 | 6.625x1.900x2.375 | 168.3x48.3x60.3 | - | - | 16 | - | - | | |
| | | 150x40x76.1mm | 6.625x1.900x3.000 | 168.3x48.3x76.1 | - | - | 16 | - | - | | |
| | 6x1½x3 | 150x40x80 | 6.625x1.900x3.500 | 168.3x48.3x88.9 | - | - | 16 | - | - | | |
| | 6x2x1½ | 150x50x40 | 6.625x2.375x1.900 | 168.3x60.3x48.3 | - | - | 16 | - | - | | |
| | 6x2x2 | 150x50x50 | 6.625x2.375x2.375 | 168.3x60.3x60.3 | - | - | 16 | - | - | | |
| | | 150x50x76.1mm | 6.625x2.375x3.000 | 168.3x60.3x76.1 | - | - | 16 | - | - | | |
| | 6x2x3 | 150x50x80 | 6.625x2.375x3.500 | 168.3x60.3x88.9 | - | - | 16 | - | - | | |
| | 6x2½x1½ | 150x65x40 | 6.625x2.875x1.900 | 168.3x73.0x48.3 | - | - | 16 | - | - | | |
| | 6x2½x2 | 150x65x50 | 6.625x2.875x2.375 | 168.3x73.0x60.3 | - | - | 16 | - | - | | |
| | | 150x65x76.1mm | 6.625x2.875x3.000 | 168.3x73.0x76.1 | - | - | 16 | - | - | | |
| | 6x2½x3 | 150x65x80 | 6.625x2.875x3.500 | 168.3x73.0x88.9 | - | - | 16 | - | - | | |
| 6x3x1½ | 150x80x40 | 6.625x3.500x1.900 | 168.3x88.9x48.3 | - | - | 16 | - | - | | | |
| 6x3x2 | 150x80x50 | 6.625x3.500x2.375 | 168.3x88.9x60.3 | - | - | 16 | - | - | | | |
| | 150x80x76.1mm | 6.625x3.500x3.000 | 168.3x88.9x76.1 | - | - | 16 | - | - | | | |
| 6x3x3 | 150x80x80 | 6.625x3.500x3.500 | 168.3x88.9x88.9 | - | - | 16 | - | - | | | |
| Model 723 Saddle-Let | 1¼x½ | 32x15 | 1.660x0.840 | 42.2x21.3 | 300/20 | 300/20 | 16 | 175/12 | - | F-03 | 1, 12-1, 12-2 |
| | 1¼x¾ | 32x20 | 1.660x1.050 | 42.2x26.7 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 1¼x1 | 32x25 | 1.660x1.315 | 42.2x33.4 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 1½x½ | 40x15 | 1.900x0.840 | 48.3x21.3 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 1½x¾ | 40x20 | 1.900x1.050 | 48.3x26.7 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 1½x1 | 40x25 | 1.900x1.315 | 48.3x33.4 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 2x½ | 50x15 | 2.375x0.840 | 60.3x21.3 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 2x¾ | 50x20 | 2.375x1.050 | 60.3x26.7 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | 16 | 175/12 | - | | |
| | 2½x½ | 65x15 | 2.875x0.840 | 73.0x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x¾ | 65x20 | 2.875x1.050 | 73.0x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx15 | 3.000x0.840 | 76.1x21.3 | 175/12 | 300/20 | 16 | 175/12 | - | | |
| | | 76.1mmx20 | 3.000x1.050 | 76.1x26.7 | 175/12 | 300/20 | 16 | 175/12 | - | | |
| | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | 175/12 | 300/20 | 16 | 175/12 | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

† The recommended branch size should be at least 3 sizes smaller than the run size.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------------|-------------------|----------------|--|--------|--------|--------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | Submittal | Note |
| Model 55 Adapter Nipple | 1½x1½M | 40x40M | 1.900x1.900M | 48.3x48.3M | 300/20 | 300/20 | - | - | - | G-07 | 1 |
| | 2x2M | 50x50M | 2.375x2.375M | 60.3x60.3M | 300/20 | 300/20 | - | - | - | | |
| Model 899 End-All Fitting | 1¼x½ | 32x15 | 1.660x0.840 | 42.2x21.3 | 300/20 | 300/20 | - | - | - | G-06 | 1 |
| | 1¼x¾ | 32x20 | 1.660x1.050 | 42.2x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x1 | 32x25 | 1.660x1.315 | 42.2x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 1½x½ | 40x15 | 1.900x0.840 | 48.3x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 1½x¾ | 40x20 | 1.900x1.050 | 48.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 1½x1 | 40x25 | 1.900x1.315 | 48.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2x½ | 50x15 | 2.375x0.840 | 60.3x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x¾ | 50x20 | 2.375x1.050 | 60.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2½x½ | 65x15 | 2.875x0.840 | 73.0x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x¾ | 65x20 | 2.875x1.050 | 73.0x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx15 | 3.000x0.840 | 76.1x21.3 | - | - | - | - | - | | |
| | | 76.1mmx20 | 3.000x1.050 | 76.1x26.7 | - | - | - | - | - | | |
| | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | - | - | - | - | - | | | |
| Model 901 90 SR Elbow | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | 16 | 300/20 | - | G-02 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | 16 | 300/20 | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | 16 | 300/20 | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | 16 | 300/20 | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | 16 | 300/20 | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | - | - | 300/20 | - | | |
| 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | 16 | - | - | | | |
| 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | 16 | 300/20 | - | | | |
| Model 903 SR Tee | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | 16 | 300/20 | - | G-02 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | 16 | 300/20 | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | 16 | 300/20 | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | 16 | 300/20 | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | 16 | 300/20 | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | - | - | 300/20 | - | | |
| 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | 16 | - | - | | | |
| 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | 16 | 300/20 | - | | | |
| Model 850 Sprinkler Hub | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | E-24 | 1 |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | 300/20 | 300/20 | - | - | - | | |
| Model 851 Red. Sprinkler Hub | 2x1½x1 | 50x40x25 | 2.375x1.900x1.315 | 60.3x48.3x33.4 | 300/20 | 300/20 | - | - | - | E-24 | 1 |
| | 2½x1½x1 | 65x40x25 | 2.875x1.900x1.315 | 73.0x48.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | | 65x50x25 | 2.875x2.375x1.315 | 73.0x60.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 76.1mmx50x25 | 3.000x2.375x1.315 | 76.1x60.3x33.4 | 300/20 | 300/20 | - | - | - | | | |
| Model 853 Sprinkler End Hub | 1½x1 | 40x25 | 1.900x1.315 | 48.3x33.4 | 300/20 | 300/20 | - | - | - | E-24 | 1 |
| | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 76.1mmx25 | 3.000x1.315 | 76.1x33.4 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|--------|--------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7110 90 Elbow | 1 | 25 | 1.315 | 33.4 | 300/20 | 500/35 | - | - | - | E-02 | 1 |
| | 1¼ | 32 | 1.660 | 42.2 | 300/20 | 500/35 | 16 | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 500/35 | 16 | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 500/35 | 16 | 20 | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 500/35 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | 16 | 20 | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 500/35 | 16 | 20 | - | | |
| | | 108.0mm | 4.250 | 108.0 | - | - | 16 | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 500/35 | 16 | 20 | - | | |
| | | 133.0mm | 5.250 | 133.0 | - | - | 16 | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | - | 16 | 20 | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 500/35 | - | - | - | | |
| | | 159.0mm | 6.250 | 159.0 | - | - | 16 | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | - | - | 20 | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 500/35 | 16 | - | - | | |
| | 8 JIS | 216.3mm | 8.516 | 216.3 | 300/20 | - | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 500/35 | 16 | 20 | - | | |
| | 10 JIS | 267.4mm | 10.528 | 267.4 | 300/20 | - | - | - | - | | |
| | 10 | 250 | 10.750 | 273.0 | 300/20 | 300/20 | - | - | - | | |
| | 12 JIS | 318.5mm | 12.539 | 318.5 | 300/20 | - | - | - | - | | |
| 12 | 300 | 12.750 | 323.9 | 300/20 | 300/20 | - | - | - | | | |
| 14 | 350 | 14.000 | 355.6 | 300/20 | 175/12 | - | - | - | | | |
| 16 | 400 | 16.000 | 406.4 | 300/20 | 175/12 | - | - | - | | | |
| 18 | 450 | 18.000 | 457.2 | 300/20 | 175/12 | - | - | - | | | |
| 20 | 500 | 20.000 | 508.0 | 250/17 | 250/17 | - | - | - | | | |
| 24 | 600 | 24.000 | 609.6 | 250/17 | 175/12 | - | - | - | | | |
| Model 7110DR Drain Elbow | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | G-05 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | - | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | | |
| Model 7110LR 1.5D 90 Elbow | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | E-04 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | - | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | | |
| | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|--------|--------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7111 45 Elbow | 1 | 25 | 1.315 | 33.4 | - | 500/35 | - | - | - | E-02 | 1 |
| | 1¼ | 32 | 1.660 | 42.2 | 300/20 | 500/35 | 16 | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 500/35 | 16 | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 500/35 | 16 | 20 | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 500/35 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | 16 | 20 | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 500/35 | 16 | 20 | - | | |
| | | 108.0mm | 4.250 | 108.0 | - | - | 16 | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 500/35 | 16 | 20 | - | | |
| | | 133.0mm | 5.250 | 133.0 | - | - | 16 | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | - | 16 | 20 | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 500/35 | - | - | - | | |
| | | 159.0mm | 6.250 | 159.0 | - | - | 16 | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | - | - | 20 | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 500/35 | 16 | - | - | | |
| | 8 JIS | 216.3mm | 8.516 | 216.3 | 300/20 | - | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 500/35 | 16 | 20 | - | | |
| | 10 JIS | 267.4mm | 10.528 | 267.4 | 300/20 | - | - | - | - | | |
| | 10 | 250 | 10.750 | 273.0 | 300/20 | 300/20 | - | - | - | | |
| | 12 JIS | 318.5mm | 12.539 | 318.5 | 300/20 | - | - | - | - | | |
| 12 | 300 | 12.750 | 323.9 | 300/20 | 300/20 | - | - | - | | | |
| 14 | 350 | 14.000 | 355.6 | 300/20 | 175/12 | - | - | - | | | |
| 16 | 400 | 16.000 | 406.4 | 300/20 | 175/12 | - | - | - | | | |
| 18 | 450 | 18.000 | 457.2 | 300/20 | 175/12 | - | - | - | | | |
| 20 | 500 | 20.000 | 508.0 | 250/17 | 250/17 | - | - | - | | | |
| 24 | 600 | 24.000 | 609.6 | 250/17 | 175/12 | - | - | - | | | |
| Model 7112 22½ Elbow | 1¼ | 32 | 1.660 | 42.2 | - | 300/20 | - | - | - | E-02 | 1 |
| | 1½ | 40 | 1.900 | 48.3 | 500/35 | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | - | - | | |
| 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | | |
| 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|--------|--------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7113 1 1/4" Elbow | 1 1/4 | 32 | 1.660 | 42.2 | - | 300/20 | - | - | - | E-02 | 1 |
| | 1 1/2 | 40 | 1.900 | 48.3 | - | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2 1/2 | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | |
| Model 7120 Tee | 1 1/4 | 32 | 1.660 | 42.2 | 300/20 | 500/35 | 16 | - | - | E-05 | 1 |
| | 1 1/2 | 40 | 1.900 | 48.3 | 300/20 | 500/35 | 16 | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 500/35 | 16 | 20 | - | | |
| | 2 1/2 | 65 | 2.875 | 73.0 | 300/20 | 500/35 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | 16 | 20 | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 500/35 | 16 | 20 | - | | |
| | | 108.0mm | 4.250 | 108.0 | - | - | 16 | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 500/35 | 16 | 20 | - | | |
| | | 133.0mm | 5.250 | 133.0 | - | - | 16 | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | - | 16 | 20 | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 500/35 | - | - | - | | |
| | | 159.0mm | 6.250 | 159.0 | - | - | 16 | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | - | - | 20 | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 500/35 | 16 | - | - | | |
| | 8 JIS | 216.3mm | 8.516 | 216.3 | 300/20 | - | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 500/35 | 16 | 20 | - | | |
| | 10 JIS | 267.4mm | 10.528 | 267.4 | 300/20 | - | - | - | - | | |
| | 10 | 250 | 10.750 | 273.0 | 300/20 | 300/20 | - | - | - | | |
| | 12 JIS | 318.5mm | 12.539 | 318.5 | 300/20 | - | - | - | - | | |
| | 12 | 300 | 12.750 | 323.9 | 300/20 | 300/20 | - | - | - | | |
| 14 | 350 | 14.000 | 355.6 | 300/20 | 300/20 | - | - | - | | | |
| 16 | 400 | 16.000 | 406.4 | 300/20 | 175/12 | - | - | - | | | |
| 18 | 450 | 18.000 | 457.2 | 300/20 | - | - | - | - | | | |
| 20 | 500 | 20.000 | 508.0 | 250/17 | - | - | - | - | | | |
| 24 | 600 | 24.000 | 609.6 | 250/17 | - | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------------|-------------------|-------------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7121 Reducing Tee | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | 300/20 | 300/20 | - | - | - | E-06 | 1 |
| | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx50 | 3.000x2.375 | 76.1x60.3 | 300/20 | - | - | - | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x2½ | 80x65 | 3.500x2.875 | 88.9x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 80x76.1mm | 3.500x3.000 | 88.9x76.1 | 300/20 | - | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | 300/20 | - | - | 20 | - | | |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 300/20 | 300/20 | - | 20 | - | | |
| | 5x2 | 125x50 | 5.563x2.375 | 141.3x60.3 | - | 300/20 | - | - | - | | |
| | 5x3 | 125x80 | 5.563x3.500 | 141.3x88.9 | - | 300/20 | - | - | - | | |
| | 5x4 | 125x100 | 5.563x4.500 | 141.3x114.3 | - | 300/20 | - | - | - | | |
| | | 165.1mmx50 | 4.500x2.375 | 165.1x60.3 | 300/20 | - | - | - | - | | |
| | 165.1mmx65 | 6.500x2.875 | 165.1x73.0 | 300/20 | - | - | - | - | | | |
| | 165.1mmx76.1mm | 6.500x3.000 | 165.1x76.1 | 300/20 | - | - | - | - | | | |
| | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | 300/20 | - | - | 20 | - | | | |
| | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | 300/20 | - | - | - | - | | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 150x76.1mm | 6.625x3.000 | 168.3x76.1 | 300/20 | - | - | - | - | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x5 | 150x125 | 6.625x5.563 | 168.3x141.3 | - | 300/20 | - | - | - | | |
| | 8x2 | 200x50 | 8.625x2.375 | 219.1x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 8x3 | 200x80 | 8.625x3.500 | 219.1x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 8x4 | 200x100 | 8.625x4.500 | 219.1x114.3 | 300/20 | 300/20 | - | 20 | - | | |
| | | 200x165.1mm | 8.625x6.500 | 219.1x165.1 | 300/20 | - | - | 20 | - | | |
| | 8x6 | 200x150 | 8.625x6.625 | 219.1x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 10x4 | 250x100 | 10.750x4.500 | 273.0x114.3 | 300/20 | - | - | - | - | | |
| 250x165.1mm | | 10.750x6.500 | 273.0x165.1 | 300/20 | - | - | - | - | | | |
| 10x6 | 250x150 | 10.750x6.625 | 273.0x168.3 | 300/20 | - | - | - | - | | | |
| 10x8 | 250x200 | 10.750x8.625 | 273.0x219.1 | 300/20 | - | - | - | - | | | |
| 12x3 | 300x80 | 12.750x3.500 | 323.9x88.9 | 300/20 | - | - | - | - | | | |
| 12x4 | 300x100 | 12.750x4.500 | 323.9x114.3 | 300/20 | - | - | - | - | | | |
| | 300x165.1mm | 10.750x6.500 | 323.9x165.1 | 300/20 | - | - | - | - | | | |
| 12x6 | 300x150 | 12.750x6.625 | 323.9x168.3 | 300/20 | - | - | - | - | | | |
| 12x8 | 300x200 | 12.750x8.625 | 323.9x219.1 | 300/20 | - | - | - | - | | | |
| 12x10 | 300x250 | 12.750x10.750 | 323.9x273.0 | 300/20 | - | - | - | - | | | |
| Model 7125 Bullhead Tee | 2x2x2½ | 50x50x65 | 2.375x2.375x2.875 | 60.3x60.3x73.0 | 300/20 | 300/20 | - | - | - | G-05 | 1 |
| | 2½x2½x3 | 65x65x80 | 2.875x2.875x3.500 | 73.0x73.0x88.9 | 300/20 | 300/20 | - | - | - | | |
| | | 65x65x100 | 2.875x2.875x4.500 | 73.0x73.0x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x3x4 | 80x80x100 | 3.500x3.500x4.500 | 88.9x88.9x114.3 | - | 300/20 | - | - | - | | |
| | 4x4x6 | 100x100x150 | 4.500x4.500x6.625 | 114.3x114.3x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 5x5x8 | 125x125x200 | 5.563x5.563x8.625 | 141.3x141.3x219.1 | 300/20 | - | - | - | - | | |
| 6x6x8 | 150x150x200 | 6.625x6.625x8.625 | 168.3x168.3x219.1 | 300/20 | - | - | - | - | | | |
| Model 7127 Standpipe Tee | 4x4x2½ | 100x100x65 | 4.500x4.500x2.875 | 114.3x114.3x73.0 | 300/20 | 300/20 | - | - | - | G-05 | 1 |
| | 6x6x2½ | 150x150x65 | 6.625x6.625x2.875 | 168.3x168.3x73.0 | 300/20 | - | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|------------|-------------|------------|--|--------|-----|--------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7130 45 Lateral | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | E-05 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | | |
| Model 7133 Pitcher Tee | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | - | - | - | 300/20 | - | G-10 | 1 |
| Model 7135 Cross | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | E-05 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| 8 | 200 | 8.625 | 219.1 | 300/20 | - | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|----------------|---------------|-------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7150 Concentric Reducer | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | 300/20 | 300/20 | - | - | - | E-07 | 1 |
| | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx50 | 3.000x2.375 | 76.1x60.3 | - | - | 16 | 20 | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | 16 | 20 | - | | |
| | 3x2½ | 80x65 | 3.500x2.875 | 88.9x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 80x76.1mm | 3.500x3.000 | 88.9x76.1 | - | - | - | 20 | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | 16 | 20 | - | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | - | - | 16 | 20 | - | | |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 300/20 | 300/20 | 16 | 20 | - | | |
| | | 139.7mmx100 | 5.500x4.500 | 139.7x114.3 | - | - | 16 | - | - | | |
| | 5x2 | 125x50 | 5.563x2.375 | 141.3x60.3 | - | 300/20 | - | - | - | | |
| | 5x3 | 125x80 | 5.563x3.500 | 141.3x88.9 | - | 300/20 | - | - | - | | |
| | 5x4 | 125x100 | 5.563x4.500 | 141.3x114.3 | - | 300/20 | - | - | - | | |
| | 165.1mmx50 | 165.1mmx50 | 4.500x2.375 | 165.1x60.3 | - | - | - | - | - | | |
| | | 165.1mmx65 | 6.500x2.875 | 165.1x73.0 | - | - | - | - | - | | |
| | | 165.1mmx76.1mm | 6.500x3.000 | 165.1x76.1 | - | - | - | - | - | | |
| | | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | - | - | - | 20 | - | | |
| | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | - | - | - | 20 | - | | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | 16 | - | - | | |
| | 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 150x76.1mm | 6.625x3.000 | 168.3x76.1 | - | - | 16 | - | - | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 300/20 | 300/20 | 16 | - | - | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | 300/20 | 16 | - | - | | |
| | 6x5 | 150x125 | 6.625x5.563 | 168.3x141.3 | - | 300/20 | - | - | - | | |
| | 8x3 | 200x80 | 8.625x3.500 | 219.1x88.9 | 300/20 | 300/20 | 16 | - | - | | |
| | 8x4 | 200x100 | 8.625x4.500 | 219.1x114.3 | 300/20 | 300/20 | 16 | - | - | | |
| | | 200x165.1mm | 8.625x6.500 | 219.1x165.1 | - | - | - | 20 | - | | |
| | 8x6 | 200x150 | 8.625x6.625 | 219.1x168.3 | 300/20 | 300/20 | 16 | - | - | | |
| | 10x4 | 250x100 | 10.750x4.500 | 273.0x114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 250x165.1mm | 10.750x6.500 | 273.0x165.1 | - | - | - | - | - | | |
| | 10x6 | 250x150 | 10.750x6.625 | 273.0x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 10x8 | 250x200 | 10.750x8.625 | 273.0x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 12x8 | 300x200 | 12.750x8.625 | 323.9x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 12x10 | 300x250 | 12.750x10.750 | 323.9x273.0 | 300/20 | 300/20 | - | - | - | | |
| | 14x6 | 350x150 | 14.000x6.625 | 355.6x168.3 | - | 300/20 | - | - | - | | |
| | 14x8 | 350x200 | 14.000x8.625 | 355.6x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 14x10 | 350x250 | 14.000x10.750 | 355.6x273.0 | 300/20 | 300/20 | - | - | - | | |
| | 14x12 | 350x300 | 14.000x12.750 | 355.6x323.9 | 300/20 | 300/20 | - | - | - | | |
| | 16x8 | 400x200 | 16.000x8.625 | 406.4x219.1 | 300/20 | - | - | - | - | | |
| 16x10 | 400x250 | 16.000x10.750 | 406.4x273.0 | 300/20 | - | - | - | - | | | |
| 16x12 | 400x300 | 16.000x12.750 | 406.4x323.9 | 300/20 | - | - | - | - | | | |
| 16x14 | 400x350 | 16.000x14.000 | 406.4x355.6 | 300/20 | - | - | - | - | | | |
| 18x12 | 450x300 | 18.000x12.750 | 457.2x323.9 | 300/20 | - | - | - | - | | | |
| 18x14 | 450x350 | 18.000x14.000 | 457.2x355.6 | 300/20 | - | - | - | - | | | |
| 18x16 | 450x400 | 18.000x16.000 | 457.2x406.4 | 300/20 | - | - | - | - | | | |
| 20x16 | 500x400 | 20.000x16.000 | 508.0x406.4 | 250/17 | - | - | - | - | | | |
| 20x18 | 500x450 | 20.000x18.000 | 508.0x457.2 | 250/17 | - | - | - | - | | | |
| 24x12 | 600x300 | 24.000x12.750 | 609.6x323.9 | 250/17 | - | - | - | - | | | |
| 24x14 | 600x350 | 24.000x14.000 | 609.6x355.6 | 250/17 | - | - | - | - | | | |
| 24x16 | 600x400 | 24.000x16.000 | 609.6x406.4 | 250/17 | - | - | - | - | | | |
| 24x18 | 600x450 | 24.000x18.000 | 609.6x457.2 | 250/17 | - | - | - | - | | | |
| 24x20 | 600x500 | 24.000x20.000 | 609.6x508.0 | 250/17 | - | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------|------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7150F Reducing Socket | 1½x1 | 40x25 | 1.900x1.315 | 48.3x33.4 | 300/20 | 300/20 | - | - | - | G-07 | 1 |
| | 2x1¼ | 50x32 | 2.375x1.660 | 60.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x1¼ | 80x32 | 3.500x1.660 | 88.9x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 5x1½ | 125x40 | 5.563x1.900 | 141.3x48.3 | 300/20 | - | - | - | - | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | - | - | - | - | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | - | - | - | - | | |
| 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | - | - | - | - | | | |
| 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | - | - | - | - | | | |
| Model 7150M Reducing Nipple | 1½x1 | 40x25 | 1.900x1.315 | 48.3x33.4 | 300/20 | 300/20 | - | - | - | G-07 | 1 |
| | 2x1¼ | 50x32 | 2.375x1.660 | 60.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x1¼ | 80x32 | 3.500x1.660 | 88.9x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 5x1½ | 125x40 | 5.563x1.900 | 141.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | 300/20 | 300/20 | - | - | - | | | |
| 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------------|---------------|-------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7151 Eccentric Reducer | 2x1½ | 50x40 | 2.375x1.900 | 60.3x48.3 | - | 300/20 | - | - | - | E-07 | 1 |
| | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx50 | 3.000x2.375 | 76.1x60.3 | - | - | - | - | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x2½ | 80x65 | 3.500x2.875 | 88.9x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 80x76.1mm | 3.500x3.000 | 88.9x76.1 | - | - | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 100x76.1mm | 4.500x3.000 | 114.3x76.1 | - | - | - | - | - | | |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 5x2 | 125x50 | 5.563x2.375 | 141.3x60.3 | - | 300/20 | - | - | - | | |
| | 5x3 | 125x80 | 5.563x3.500 | 141.3x88.9 | - | 300/20 | - | - | - | | |
| | 5x4 | 125x100 | 5.563x4.500 | 141.3x114.3 | - | 300/20 | - | - | - | | |
| | | 165.1mmx50 | 4.500x2.375 | 165.1x60.3 | 300/20 | - | - | - | - | | |
| | | 165.1mmx80 | 6.500x3.500 | 165.1x88.9 | 300/20 | - | - | - | - | | |
| | | 165.1mmx100 | 6.500x4.500 | 165.1x114.3 | 300/20 | - | - | - | - | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x2½ | 150x65 | 6.625x2.875 | 168.3x73.0 | - | 300/20 | - | - | - | | |
| | 6x3 | 150x80 | 6.625x3.500 | 168.3x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x5 | 150x125 | 6.625x5.563 | 168.3x141.3 | - | 300/20 | - | - | - | | |
| | 8x3 | 200x80 | 8.625x3.500 | 219.1x88.9 | - | 300/20 | - | - | - | | |
| | 8x4 | 200x100 | 8.625x4.500 | 219.1x114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 200x165.1mm | 8.625x6.500 | 219.1x165.1 | - | - | - | - | - | | |
| | 8x6 | 200x150 | 8.625x6.625 | 219.1x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 10x4 | 250x100 | 10.750x4.500 | 273.0x114.3 | - | 300/20 | - | - | - | | |
| | 10x6 | 250x150 | 10.750x6.625 | 273.0x168.3 | - | 300/20 | - | - | - | | |
| | 10x8 | 250x200 | 10.750x8.625 | 273.0x219.1 | - | 300/20 | - | - | - | | |
| | 12x8 | 300x200 | 12.750x8.625 | 323.9x219.1 | - | 300/20 | - | - | - | | |
| | 12x10 | 300x250 | 12.750x10.750 | 323.9x273.0 | - | 300/20 | - | - | - | | |
| 14x6 | 350x150 | 14.000x6.625 | 355.6x168.3 | - | 300/20 | - | - | - | | | |
| 14x8 | 350x200 | 14.000x8.625 | 355.6x219.1 | - | 300/20 | - | - | - | | | |
| 14x10 | 350x250 | 14.000x10.750 | 355.6x273.0 | - | 300/20 | - | - | - | | | |
| 14x12 | 350x300 | 14.000x12.750 | 355.6x323.9 | - | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------|------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 7160 Cap | 1¼ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | 16 | - | - | E-08 | 1 |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | 16 | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | 16 | 20 | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | 300/20 | 16 | 20 | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | 16 | 20 | - | | |
| | | 108.0mm | 4.250 | 108.0 | - | - | 16 | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | 16 | 20 | - | | |
| | | 133.0mm | 5.250 | 133.0 | - | - | 16 | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | 300/20 | 16 | 20 | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 159.0mm | 6.250 | 159.0 | - | - | 16 | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | 20 | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | 16 | - | - | | |
| | 8 JIS | 216.3mm | 8.516 | 216.3 | 300/20 | - | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | 16 | 20 | - | | |
| 10 JIS | 267.4mm | 10.528 | 267.4 | 300/20 | - | - | - | - | | | |
| 10 | 250 | 10.750 | 273.0 | 300/20 | 300/20 | - | - | - | | | |
| 12 JIS | 318.5mm | 12.539 | 318.5 | 175/12 | - | - | - | - | | | |
| 12 | 300 | 12.750 | 323.9 | 175/12 | 300/20 | - | - | - | | | |
| Model 7160H Domed End Cap | 10 | 250 | 10.750 | 273.0 | 300/20 | 300/20 | - | - | - | E-08 | 1 |
| | 12 | 300 | 12.750 | 323.9 | 300/20 | 300/20 | - | - | - | | |
| | 14 | 350 | 14.000 | 355.6 | 300/20 | 175/12 | - | - | - | | |
| | 16 | 400 | 16.000 | 406.4 | 300/20 | 175/12 | - | - | - | | |
| | 18 | 450 | 18.000 | 457.2 | 300/20 | 175/12 | - | - | - | | |
| | 20 | 500 | 20.000 | 508.0 | 250/17 | - | - | - | - | | |
| Model 7160T Transition Cap | 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | G-08 | 1 |
| | 2x1¼ | 50x32 | 2.375x1.660 | 60.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1 | 65x25 | 2.875x1.315 | 73.0x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.875x1.660 | 73.0x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 2½x1½ | 65x40 | 2.875x1.900 | 73.0x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x1 | 80x25 | 3.500x1.315 | 88.9x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 3x1¼ | 80x32 | 3.500x1.660 | 88.9x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 3x1½ | 80x40 | 3.500x1.900 | 88.9x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x1 | 100x25 | 4.500x1.315 | 114.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 4x1¼ | 100x32 | 4.500x1.660 | 114.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 4x1½ | 100x40 | 4.500x1.900 | 114.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 6x1 | 150x25 | 6.625x1.315 | 168.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 6x1¼ | 150x32 | 6.625x1.660 | 168.3x42.2 | 300/20 | 300/20 | - | - | - | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | 300/20 | 300/20 | - | - | - | | |
| 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|-------------|-------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Fittings | In | mm | in | mm | | | | | | | |
| Model 7170 Flange Adapter | 2½ | 65 | 2.875 | 73.0 | 175/12 | 175/12 | - | - | - | D-04 | 1 |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 175/12 | 175/12 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 175/12 | 175/12 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 175/12 | 175/12 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 175/12 | 175/12 | - | - | - | | |
| Model 7180 Universal Flange Adapter | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | D-08 | 21 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | |
| Model 7181 Universal Reducing Flange Adapter | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | - | 300/20 | - | - | - | D-07 | - |
| | 4x3 | 100x80 | 4.500x3.500 | 114.3x88.9 | - | 300/20 | - | - | - | | |
| | 6x4 | 150x100 | 6.625x4.500 | 168.3x114.3 | - | 300/20 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|------------|-------------------|------------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Welding Outlet | In | mm | in | mm | | | | | | | |
| Model 71 † | ½x1¼-1½ | 15x32-40 | 0.840x1.660-1.900 | 21.3x42.2-48.3 | 300/20 | 300/20 | - | - | - | | |
| Female Threaded | ½x1½-2 | 15x40-50 | 0.840x1.900-2.375 | 21.3x48.3-60.3 | 300/20 | 300/20 | - | - | - | | |
| Outlet Fitting | ½x2-2½ | 15x50-65 | 0.840x2.375-2.875 | 21.3x60.3-73.0 | 300/20 | 300/20 | - | - | - | | |
| | ½x2½-8 | 15x65-200 | 0.840x2.875-8.625 | 21.3x73.0-219.1 | 300/20 | 300/20 | - | - | - | | |
| | ¾x1¼-1½ | 20x32-40 | 1.050x1.660-1.900 | 26.7x42.2-48.3 | - | 300/20 | - | - | - | | |
| | ¾x1½-2 | 20x40-50 | 1.050x1.900-2.375 | 26.7x48.3-60.3 | 300/20 | 300/20 | - | - | - | | |
| | ¾x2-2½ | 20x50-65 | 1.050x2.375-2.875 | 26.7x60.3-73.0 | 300/20 | 300/20 | - | - | - | | |
| | ¾x2½-8 | 20x65-200 | 1.050x2.875-8.625 | 26.7x73.0-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 1x1¼-1½ | 25x32-40 | 1.315x1.660-1.900 | 33.4x42.2-48.3 | 300/20 | 300/20 | - | - | - | | |
| | 1x1½-2 | 25x40-50 | 1.315x1.900-2.375 | 33.4x48.3-60.3 | 300/20 | 300/20 | - | - | - | | |
| | 1x2-2½ | 25x50-65 | 1.315x2.375-2.875 | 33.4x60.3-73.0 | 300/20 | 300/20 | - | - | - | | |
| | 1x2½-3 | 25x65-80 | 1.315x2.875-3.500 | 33.4x73.0-88.9 | 300/20 | 300/20 | - | - | - | | |
| | 1x3-4 | 25x80-100 | 1.315x3.500-4.500 | 33.4x88.9-114.3 | 300/20 | 300/20 | - | - | - | | |
| | 1x5-8 | 25x125-200 | 1.315x5.563-8.625 | 33.4x141.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x1½-2 | 32x40-50 | 1.660x1.900-2.375 | 42.2x48.3-60.3 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x2-2½ | 32x50-65 | 1.660x2.375-2.875 | 42.2x60.3-73.0 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x2½-3 | 32x65-80 | 1.660x2.875-3.500 | 42.2x73.0-88.9 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x3-4 | 32x80-100 | 1.660x3.500-4.500 | 42.2x88.9-114.3 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x5-8 | 32x125-200 | 1.660x5.563-8.625 | 42.2x141.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 1½x2 | 40x50 | 1.900x2.375 | 48.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 1½x2½ | 40x65 | 1.900x2.875 | 48.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 1½x3-4 | 40x80-100 | 1.900x3.500-4.500 | 48.3x88.9-114.3 | 300/20 | 300/20 | - | - | - | | |
| | 1½x4 | 40x100 | 1.900x4.500 | 48.3x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 1½x5-8 | 40x125-200 | 1.900x5.563-8.625 | 48.3x141.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 2x2 | 50x50 | 2.375x2.375 | 60.3x60.3 | 300/20 | - | - | - | - | H-01 | 1 |
| | 2x2½ | 50x65 | 2.375x2.875 | 60.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 2x3 | 50x80 | 2.375x3.500 | 60.3x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 2x4 | 50x100 | 2.375x4.500 | 60.3x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x5 | 50x125 | 2.375x5.563 | 60.3x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x6 | 50x150 | 2.375x6.625 | 60.3x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x8 | 50x200 | 2.375x8.625 | 60.3x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 2½x2½ | 65x65 | 2.875x2.875 | 73.0x73.0 | 300/20 | - | - | - | - | | |
| | 2½x3 | 65x80 | 2.875x3.500 | 73.0x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 2½x4 | 65x100 | 2.875x4.500 | 73.0x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x5 | 65x125 | 2.875x5.563 | 73.0x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x6 | 65x150 | 2.875x6.625 | 73.0x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x8 | 65x200 | 2.875x8.625 | 73.0x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 3x3 | 80x80 | 3.500x3.500 | 88.9x88.9 | 300/20 | - | - | - | - | | |
| | 3x4 | 80x100 | 3.500x4.500 | 88.9x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x5 | 80x125 | 3.500x5.563 | 88.9x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x6 | 80x150 | 3.500x6.625 | 88.9x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x8 | 80x200 | 3.500x8.625 | 88.9x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 4x4 | 100x100 | 4.500x4.500 | 114.3x114.3 | 300/20 | - | - | - | - | | |
| | 4x5 | 100x125 | 4.500x5.563 | 114.3x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x6 | 100x150 | 4.500x6.625 | 114.3x168.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x8 | 100x200 | 4.500x8.625 | 114.3x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 6x1 | 150x25 | 6.625x1.315 | 168.3x33.4 | - | - | - | - | - | | |
| | 6x1¼ | 150x32 | 6.625x1.660 | 168.3x42.2 | - | - | - | - | - | | |
| | 6x1½ | 150x40 | 6.625x1.900 | 168.3x48.3 | - | - | - | - | - | | |
| | 6x2 | 150x50 | 6.625x2.375 | 168.3x60.3 | - | - | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

† The maximum outlet size for these fittings is limited to one pipe size smaller than the run pipe to which they are welded according to FM Approval Standard Class 1920 article 1.2.5.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------------|-------------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Welding Outlet | In | mm | in | mm | | | | | | | |
| Model 72C | 2x2 | 50x50 | 2.375x2.375 | 60.3x60.3 | 300/20 | - | - | - | - | H-02 | 1 |
| Cut Grooved | 2x2½ | 50x65 | 2.375x2.875 | 60.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| Welding Outlet | 2x3 | 50x80 | 2.375x3.500 | 60.3x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 2x4 | 50x100 | 2.375x4.500 | 60.3x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x5 | 50x125 | 2.375x5.563 | 60.3x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x6-8 | 50x150-200 | 2.375x6.625-8.625 | 60.3x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 2½x2½ | 65x65 | 2.875x2.875 | 73.0x73.0 | 300/20 | - | - | - | - | | |
| | 2½x4 | 65x100 | 2.875x4.500 | 73.0x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x5 | 65x125 | 2.875x5.563 | 73.0x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x6-8 | 65x150-200 | 2.875x6.625-8.625 | 73.0x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 3x3 | 80x80 | 3.500x3.500 | 88.9x88.9 | 300/20 | - | - | - | - | | |
| | 3x4 | 80x100 | 3.500x4.500 | 88.9x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x5 | 80x125 | 3.500x5.563 | 88.9x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x6-8 | 80x150-200 | 3.500x6.625-8.625 | 88.9x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 4x4 | 100x100 | 4.500x4.500 | 114.3x114.3 | 300/20 | - | - | - | - | | |
| | 4x5 | 100x125 | 4.500x5.563 | 114.3x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x6-8 | 100x150-200 | 4.500x6.625-8.625 | 114.3x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 6x6 | 150x150 | 6.625x6.625 | 168.3x168.3 | 300/20 | - | - | - | - | | |
| | 6x8 | 150x200 | 6.625x8.625 | 168.3x219.1 | 300/20 | 300/20 | - | - | - | | |
| | 8x8 | 200x200 | 8.625x8.625 | 219.1x219.1 | 300/20 | - | - | - | - | | |
| | 8x10 | 200x250 | 8.625x10.750 | 219.1x273.0 | 300/20 | 300/20 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------------|-------------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Welding Outlet | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 72R | 1¼x1¼-1½ | 32x32-40 | 1.660x1.660-1.900 | 42.2x42.2-48.3 | 300/20 | 300/20 | - | - | - | H-03 | 1 |
| Roll Grooved | 1¼x2 | 32x50 | 1.660x2.375 | 42.2x60.3 | 300/20 | 300/20 | - | - | - | | |
| Welding Outlet | 1¼x2½ | 32x65 | 1.660x2.875 | 42.2x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x3 | 32x80 | 1.660x3.500 | 42.2x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x4 | 32x100 | 1.660x4.500 | 42.2x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x5 | 32x125 | 1.660x5.563 | 42.2x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x6-8 | 32x150-200 | 1.660x6.625-8.625 | 42.2x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 1½x1½ | 40x40 | 1.900x1.900 | 48.3x48.3 | 300/20 | - | - | - | - | | |
| | 1½x2 | 40x50 | 1.900x2.375 | 48.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 1½x2½ | 40x65 | 1.900x2.875 | 48.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 1½x3 | 40x80 | 1.900x3.500 | 48.3x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 1½x4 | 40x100 | 1.900x4.500 | 48.3x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 1½x5 | 40x125 | 1.900x5.563 | 48.3x141.3 | 300/20 | - | - | - | - | | |
| | 1½x6-8 | 40x150-200 | 1.900x6.625-8.625 | 48.3x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 2x2 | 50x50 | 2.375x2.375 | 60.3x60.3 | 300/20 | - | - | - | - | | |
| | 2x2½ | 50x65 | 2.375x2.875 | 60.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 2x3 | 50x80 | 2.375x3.500 | 60.3x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 2x4 | 50x100 | 2.375x4.500 | 60.3x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x5 | 50x125 | 2.375x5.563 | 60.3x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x6-8 | 50x150-200 | 2.375x6.625-8.625 | 60.3x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 2½x2½ | 65x65 | 2.875x2.875 | 73.0x73.0 | 300/20 | - | - | - | - | | |
| | 2½x3 | 65x80 | 2.875x3.500 | 73.0x88.9 | 300/20 | 300/20 | - | - | - | | |
| | 2½x4 | 65x100 | 2.875x4.500 | 73.0x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x5 | 65x125 | 2.875x5.563 | 73.0x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½x6-8 | 65x150-200 | 2.875x6.625-8.625 | 73.0x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mmx3 | 3.000x3.500 | 76.1x88.9 | 300/20 | - | - | - | - | | |
| | | 76.1mmx4 | 3.000x4.500 | 76.1x114.3 | 300/20 | - | - | - | - | | |
| | | 76.1mmx5 | 3.000x5.563 | 76.1x141.3 | 300/20 | - | - | - | - | | |
| | | 76.1mmx6 | 3.000x6.625 | 76.1x168.3 | 300/20 | - | - | - | - | | |
| | | 76.1mmx8 | 3.000x8.625 | 76.1x219.1 | 300/20 | - | - | - | - | | |
| | 3x3 | 80x80 | 3.500x3.500 | 88.9x88.9 | 300/20 | - | - | - | - | | |
| | 3x4 | 80x100 | 3.500x4.500 | 88.9x114.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x5 | 80x125 | 3.500x5.563 | 88.9x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 3x6-8 | 80x150-200 | 3.500x6.625-8.625 | 88.9x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |
| | 4x4 | 100x100 | 4.500x4.500 | 114.3x114.3 | 300/20 | - | - | - | - | | |
| | 4x5 | 100x125 | 4.500x5.563 | 114.3x141.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x6-8 | 100x150-200 | 4.500x6.625-8.625 | 114.3x168.3-219.1 | 300/20 | 300/20 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|--------|--------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Shurjoint Flow Control Components | In | mm | in | mm | | | | | | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Model 726 Y-Strainer | 2 | 50 | 2.375 | 60.3 | 300/20 | - | - | - | - | J-03 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | - | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | - | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | - | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | - | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 175/12 | - | - | - | - | | |
| | 10 | 250 | 10.750 | 273.0 | 175/12 | - | - | - | - | | |
| 12 | 300 | 12.750 | 323.9 | 175/12 | - | - | - | - | | | |
| Model RCV Riser Check Valve | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | G-13 | 1 |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | - | - | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | | |
| Model SJ-300F Butterfly Valve | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | J-30 | - |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | 300/20 | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | 300/20 | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| | 8 JIS | 216.3mm | 8.516 | 216.3 | 300/20 | - | - | - | - | | |
| 8 | 200 | 8.625 | 219.1 | 300/20 | - | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|-------|-------|--|--------|-----|------|-------|-----------|----------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Stainless Steel Couplings | In | mm | in | mm | | | | | | | |
| Model SS-7 Rigid Coupling | 1¼ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | - | - | - | K-01 | 1, 20 |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | 300/20 | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | 300/20 | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | 300/20 | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | |
| Model SS-8 Flexible Coupling | 1 | 25 | 1.315 | 33.4 | 300/20 | 300/20 | - | - | - | K-03 | 1 |
| | 1¼ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | - | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | | 139.7mm | 5.500 | 139.7 | - | - | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | 165.1mm | 6.500 | 165.1 | - | 300/20 | - | - | - | | | |
| | 6 | 150 | 6.625 | 168.3 | 250/17 | - | - | - | - | | |
| | 8 | 200 | 8.625 | 219.1 | - | 300/20 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|---------|-------------|------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Stainless Steel Fittings | In | mm | in | mm | | | | | | | |
| Model SS-10 90 Elbow | 1 | 25 | 1.315 | 33.4 | 300/20 | 300/20 | - | - | - | K-06 | 1 |
| | 1½ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | - | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| Model SS-11 45 Elbow | 1 | 25 | 1.315 | 33.4 | 300/20 | 300/20 | - | - | - | K-06 | 1 |
| | 1½ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | - | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| Model SS-20 Tee | 1 | 25 | 1.315 | 33.4 | 300/20 | 300/20 | - | - | - | K-06 | 1 |
| | 1½ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | - | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| Model SS-21 Reducing Tee | 3x2½ | 80x65 | 3.500x2.875 | 88.9x73.0 | 300/20 | 300/20 | - | - | - | K-07 | 1 |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |
| Model SS-21F Reducing Tee | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | K-07 | 1 |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| Model SS-41 Flange Adapter | 2 | 50 | 2.375 | 60.3 | 175/12 | 175/12 | - | - | - | K-08 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 175/12 | 175/12 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 175/12 | 175/12 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 175/12 | 175/12 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| Model SS-50 Concentric Reducer | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | - | 300/20 | - | - | - | K-07 | 1 |
| | 3x2½ | 80x65 | 3.500x2.875 | 88.9x73.0 | 300/20 | 300/20 | - | - | - | | |
| | 4x2½ | 100x65 | 4.500x2.875 | 114.3x73.0 | 300/20 | 300/20 | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------|------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Stainless Steel Fittings | In | mm | in | mm | | | | | | | |
| Model SS-50F Concentric Reducer | 2½x2 | 65x50 | 2.875x2.375 | 73.0x60.3 | 300/20 | 300/20 | - | - | - | K-07 | 1 |
| | 3x2 | 80x50 | 3.500x2.375 | 88.9x60.3 | 300/20 | 300/20 | - | - | - | | |
| | 4x2 | 100x50 | 4.500x2.375 | 114.3x60.3 | 300/20 | 300/20 | - | - | - | | |
| Model SS-60 Cap | 1 | 25 | 1.315 | 33.4 | 300/20 | 300/20 | - | - | - | K-06 | 1 |
| | 1¼ | 32 | 1.660 | 42.2 | 300/20 | 300/20 | - | - | - | | |
| | 1½ | 40 | 1.900 | 48.3 | 300/20 | 300/20 | - | - | - | | |
| | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | | |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| Model SS-80 Universal Flange Adapter | 2 | 50 | 2.375 | 60.3 | 300/20 | 300/20 | - | - | - | K-09 | 1 |
| | 2½ | 65 | 2.875 | 73.0 | 300/20 | 300/20 | - | - | - | | |
| | | 76.1mm | 3.000 | 76.1 | - | - | - | - | - | | |
| | 3 | 80 | 3.500 | 88.9 | 300/20 | 300/20 | - | - | - | | |
| | 4 | 100 | 4.500 | 114.3 | 300/20 | 300/20 | - | - | - | | |
| | 5 | 125 | 5.563 | 141.3 | 300/20 | 300/20 | - | - | - | | |
| | | 165.1mm | 6.500 | 165.1 | - | - | - | - | - | | |
| | 6 | 150 | 6.625 | 168.3 | 300/20 | 300/20 | - | - | - | | |
| 8 | 200 | 8.625 | 219.1 | 300/20 | 300/20 | - | - | - | | | |
| Model SS-723 Mec. Tee | 1¼x½ | 32x15 | 1.660x0.840 | 42.2x21.3 | 300/20 | 300/20 | - | - | - | K-10 | 1 |
| | 1¼x¾ | 32x20 | 1.660x1.050 | 42.2x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 1¼x1 | 32x25 | 1.660x1.315 | 42.2x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 1½x½ | 40x15 | 1.900x0.840 | 48.3x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 1½x¾ | 40x20 | 1.900x1.050 | 48.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| | 1½x1 | 40x25 | 1.900x1.315 | 48.3x33.4 | 300/20 | 300/20 | - | - | - | | |
| | 2x½ | 50x15 | 2.375x0.840 | 60.3x21.3 | 300/20 | 300/20 | - | - | - | | |
| | 2x¾ | 50x20 | 2.375x1.050 | 60.3x26.7 | 300/20 | 300/20 | - | - | - | | |
| 2x1 | 50x25 | 2.375x1.315 | 60.3x33.4 | 300/20 | 300/20 | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------|-------------|--|--------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vds | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Copper Fittings | In | mm | in | mm | | | | | | | |
| Model C341 Flange Adapter | 2 | 50 | 2.125 | 54.0 | 200/14 | - | - | - | - | L-07 | 1 |
| | 2½ | 65 | 2.625 | 66.7 | 200/14 | - | - | - | - | | |
| | 3 | 80 | 3.125 | 79.4 | 200/14 | - | - | - | - | | |
| | 4 | 100 | 4.125 | 104.8 | 200/14 | - | - | - | - | | |
| | 5 | 125 | 5.125 | 130.2 | 200/14 | - | - | - | - | | |
| Model C10 90 Elbow | 2 | 50 | 2.125 | 54.0 | 175/12 | 200/14 | - | - | - | L-18 | 1 |
| | 2½ | 65 | 2.625 | 66.7 | 175/12 | 200/14 | - | - | - | | |
| | 3 | 80 | 3.125 | 79.4 | 175/12 | 200/14 | - | - | - | | |
| | 4 | 100 | 4.125 | 104.8 | 175/12 | 200/14 | - | - | - | | |
| | 6 | 150 | 6.125 | 155.6 | - | 200/14 | - | - | - | | |
| Model C11 45 Elbow | 2 | 50 | 2.125 | 54.0 | 175/12 | 200/14 | - | - | - | L-18 | 1 |
| | 2½ | 65 | 2.625 | 66.7 | 175/12 | 200/14 | - | - | - | | |
| | 3 | 80 | 3.125 | 79.4 | 175/12 | 200/14 | - | - | - | | |
| | 4 | 100 | 4.125 | 104.8 | 175/12 | 200/14 | - | - | - | | |
| | 6 | 150 | 6.125 | 155.6 | - | 200/14 | - | - | - | | |
| Model C20 Tee | 2 | 50 | 2.125 | 54.0 | 175/12 | 200/14 | - | - | - | L-18 | 1 |
| | 2½ | 65 | 2.625 | 66.7 | 175/12 | 200/14 | - | - | - | | |
| | 3 | 80 | 3.125 | 79.4 | 175/12 | 200/14 | - | - | - | | |
| | 4 | 100 | 4.125 | 104.8 | 175/12 | 200/14 | - | - | - | | |
| | 6 | 150 | 6.125 | 155.6 | 175/12 | 200/14 | - | - | - | | |
| Model C60 Cap | 2 | 50 | 2.125 | 54.0 | 200/14 | 200/14 | - | - | - | L-18 | 1 |
| | 2½ | 65 | 2.625 | 66.7 | 200/14 | 200/14 | - | - | - | | |
| | 3 | 80 | 3.125 | 79.4 | 200/14 | 200/14 | - | - | - | | |
| | 4 | 100 | 4.125 | 104.8 | 200/14 | 200/14 | - | - | - | | |
| | 6 | 150 | 6.125 | 155.6 | - | 200/14 | - | - | - | | |
| Model C50 Concentric Reducer | 2½x2 | 65x50 | 2.625x2.125 | 66.7x54.0 | 200/14 | - | - | - | - | L-18 | 1 |
| | 3x2 | 80x50 | 3.125x2.125 | 79.4x54.0 | 200/14 | - | - | - | - | | |
| | 3x2½ | 80x65 | 3.125x2.625 | 79.4x66.7 | 200/14 | - | - | - | - | | |
| | 4x2 | 100x50 | 4.125x2.125 | 104.8x54.0 | 200/14 | - | - | - | - | | |
| | 4x2½ | 100x65 | 4.125x2.625 | 104.8x66.7 | 200/14 | - | - | - | - | | |
| | 4x3 | 100x80 | 4.125x3.125 | 104.8x79.4 | 200/14 | - | - | - | - | | |
| | 5x3 | 125x80 | 5.125x3.125 | 130.2x79.4 | 200/14 | - | - | - | - | | |
| | 5x4 | 125x100 | 5.125x4.125 | 130.2x104.8 | 200/14 | - | - | - | - | | |
| | 6x2½ | 150x65 | 6.125x2.625 | 155.6x66.7 | 200/14 | - | - | - | - | | |
| | 6x3 | 150x80 | 6.125x3.125 | 155.6x79.4 | 200/14 | - | - | - | - | | |
| | 6x4 | 150x100 | 6.125x4.125 | 155.6x104.8 | 200/14 | - | - | - | - | | |
| 6x5 | 150x125 | 6.125x5.125 | 155.6x130.2 | 200/14 | - | - | - | - | | | |
| Model C21 Reducing Tee | 2½x2 | 65x50 | 2.625x2.125 | 66.7x54.0 | 200/14 | - | - | - | - | L-18 | 1 |
| | 3x2 | 80x50 | 3.125x2.125 | 79.4x54.0 | 200/14 | - | - | - | - | | |
| | 3x2½ | 80x65 | 3.125x2.625 | 79.4x66.7 | 200/14 | - | - | - | - | | |
| | 4x2 | 100x50 | 4.125x2.125 | 104.8x54.0 | 200/14 | - | - | - | - | | |
| | 4x2½ | 100x65 | 4.125x2.625 | 104.8x66.7 | 200/14 | - | - | - | - | | |
| | 4x3 | 100x80 | 4.125x3.125 | 104.8x79.4 | 200/14 | - | - | - | - | | |
| | 5x3 | 125x80 | 5.125x3.125 | 130.2x79.4 | 200/14 | - | - | - | - | | |
| | 5x4 | 125x100 | 5.125x4.125 | 130.2x104.8 | 200/14 | - | - | - | - | | |
| | 6x2½ | 150x65 | 6.125x2.625 | 155.6x66.7 | 200/14 | - | - | - | - | | |
| | 6x3 | 150x80 | 6.125x3.125 | 155.6x79.4 | 200/14 | - | - | - | - | | |
| | 6x4 | 150x100 | 6.125x4.125 | 155.6x104.8 | 200/14 | - | - | - | - | | |
| 6x5 | 150x125 | 6.125x5.125 | 155.6x130.2 | 200/14 | - | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-------------|-------------|------------|--|----|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint Copper Fittings | In | mm | in | mm | | | | | | | |
| Model C26 Reducing Tee | 2x¾ | 50x20 | 2.215x0.875 | 54.0x22.5 | 200/14 | - | - | - | - | L-18 | 1 |
| | 2x1 | 50x25 | 2.215x1.130 | 54.0x28.7 | 200/14 | - | - | - | - | | |
| | 2x1½ | 50x32 | 2.215x1.378 | 54.0x35.0 | 200/14 | - | - | - | - | | |
| | 2x1½ | 50x40 | 2.215x1.629 | 54.0x41.4 | 200/14 | - | - | - | - | | |
| | 2½x¾ | 65x20 | 2.625x0.875 | 66.7x22.5 | 200/14 | - | - | - | - | | |
| | 2½x1 | 65x25 | 2.625x1.130 | 66.7x28.7 | 200/14 | - | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.625x1.378 | 66.7x35.0 | 200/14 | - | - | - | - | | |
| | 2½x1½ | 65x40 | 2.625x1.629 | 66.7x41.4 | 200/14 | - | - | - | - | | |
| | 2½x2 | 65x50 | 2.625x2.125 | 66.7x54.0 | - | - | - | - | - | | |
| | 3x¾ | 80x20 | 3.125x0.875 | 79.4x22.5 | 200/14 | - | - | - | - | | |
| | 3x1 | 80x25 | 3.125x1.130 | 79.4x28.7 | 200/14 | - | - | - | - | | |
| | 3x1¼ | 80x32 | 3.125x1.378 | 79.4x35.0 | 200/14 | - | - | - | - | | |
| | 3x1½ | 80x40 | 3.125x1.629 | 79.4x41.4 | 200/14 | - | - | - | - | | |
| | 3x2 | 80x50 | 3.125x2.125 | 79.4x54.0 | - | - | - | - | - | | |
| | 4x¾ | 100x20 | 4.125x0.875 | 104.8x22.5 | 200/14 | - | - | - | - | | |
| 4x1 | 100x25 | 4.125x1.130 | 104.8x28.7 | 200/14 | - | - | - | - | | | |
| 4x1¼ | 100x32 | 4.125x1.378 | 104.8x35.0 | 200/14 | - | - | - | - | | | |
| 4x1½ | 100x40 | 4.125x1.629 | 104.8x41.4 | 200/14 | - | - | - | - | | | |
| Model C52 Concentric Reducer | 2x1 | 50x25 | 2.215x1.130 | 54.0x28.7 | 200/14 | - | - | - | - | L-18 | 1 |
| | 2x1¼ | 50x32 | 2.215x1.378 | 54.0x35.0 | 200/14 | - | - | - | - | | |
| | 2x1½ | 50x40 | 2.215x1.629 | 54.0x41.4 | 200/14 | - | - | - | - | | |
| | 2½x1 | 65x25 | 2.625x1.130 | 66.7x28.7 | 200/14 | - | - | - | - | | |
| | 2½x1¼ | 65x32 | 2.625x1.378 | 66.7x35.0 | 200/14 | - | - | - | - | | |
| | 2½x1½ | 65x40 | 2.625x1.629 | 66.7x41.4 | 200/14 | - | - | - | - | | |
| | 2½x2 | 65x50 | 2.625x2.125 | 66.7x54.0 | 200/14 | - | - | - | - | | |
| | 3x1½ | 80x40 | 3.125x1.629 | 79.4x41.4 | 200/14 | - | - | - | - | | |
| | 3x2 | 80x50 | 3.125x2.125 | 79.4x54.0 | 200/14 | - | - | - | - | | |
| 4x2 | 100x50 | 4.125x2.125 | 104.8x54.0 | 200/14 | - | - | - | - | | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

| Model No. / Series | Nominal Pipe Size | | | | Services Pressures per Regulatory Approvals and Listings psi/bar | | | | | Submittal | Notes |
|---|-------------------|-----|---------------|---------------|--|---------|-----|------|-------|-----------|-------|
| | | | | | cULus | FM | Vas | LPCB | CNBOP | | |
| Note: For additional regulatory information, consult the product submittal publication. | | | | | | | | | | | |
| Shurjoint AWWA Ductile Iron Series | In | mm | in | mm | | | | | | Submittal | Note |
| Model A505 Coupling | 3 | 80 | 3.960 | 100.6 | 250/17* | - | - | - | - | R-01 | - |
| | 4 | 100 | 4.800 | 121.9 | 250/17* | - | - | - | - | | |
| | 6 | 150 | 6.900 | 175.3 | 250/17* | - | - | - | - | | |
| | 8 | 200 | 9.050 | 229.9 | 250/17* | - | - | - | - | | |
| | *cUL only | 10 | 250 | 11.100 | 281.9 | 250/17* | - | - | - | | |
| Model A512 Flange Adapter | 3 | 80 | 3.960 | 100.6 | 175/12* | - | - | - | - | R-03 | - |
| | 4 | 100 | 4.800 | 121.9 | 175/12* | - | - | - | - | | |
| | 6 | 150 | 6.900 | 175.3 | 175/12* | - | - | - | - | | |
| | 8 | 200 | 9.050 | 229.9 | 175/12* | - | - | - | - | | |
| | *cUL only | 10 | 250 | 11.100 | 281.9 | 175/12* | - | - | - | | |
| Model A507 Transition Coupling | 3 | 80 | 3.500x3.960 | 88.9x100.6 | 175/12* | - | - | - | - | R-02 | - |
| | 4 | 100 | 4.500x4.800 | 114.3x121.9 | 175/12* | - | - | - | - | | |
| | 6 | 150 | 6.625x6.900 | 168.3x175.3 | 175/12* | - | - | - | - | | |
| | 10 | 250 | 10.750x11.100 | 273.0x281.9 | 175/12* | - | - | - | - | | |
| | *cUL only | 12 | 300 | 12.750x13.200 | 323.9x335.3 | 175/12* | - | - | - | | |

* Pressures listed in this chart are based upon standard wall pipe. Approved and Listed pressures may vary by pipe schedule - consult regulatory agency websites for details and the most recent regulatory information.

Notes:

1. MEA Approved #322-06-E.
2. **2-1) UL Listed at 300 psi on the following sizes & pipe.**
 1-1/4"-4" on XL, XL-II pipe, Dyna-Flow, Super-Flo pipe manufactured by Allied Tube & Conduit Corp, 1-1/4"-6" on BS1387(M), British Standard Medium Steel pipe,
 1-1/2"-3" on Eddy Flow pipe., 1-1/4"-2" on Eddylite pipe manufactured by Bull Moose Tube Co.,
 1-1/4"-2" on Fire-Line Threadable pipe manufactured by Western International Forest Products Inc.
UL Listed at 175 psi on the following sizes & pipes.
 1-1/2"-3" on Eddy Flow Pipe manufactured by Bull Moose Tube Co.,
 1-1/4"-4" on Fire-Line Flow pipe manufactured by Western International Forest Products Inc.,
 1-1/4"-2" & 3" on SPS pipe manufactured by Yieh Phui Enterprise Co., Ltd.,
 1-1/4"-3" on Sch. 5 pipe, 10" on Sch. 10 (0.188 in) pipe, 12" on Sch. 30 (0.330 in) pipe.
- 2-2) FM approved at 300 psi on the following sizes & pipes.**
 1-1/4"-6" on BS1387M or heavier grade pipe,
 1"-4" on Dyna-Flow, Super-Flow (Allied) pipe,
 1"-2" & 3" on Super 40, Super-XL (Allied) pipe,
 1"-3" on XL-II (Allied) pipe,
 1"-2" on BLT, Dyna Thread (American Tube), Fire-Thread, Eddylite (Bull Moose), TL (Central), LS pipe,
 1-1/2"-4" on Eddy Flow (Bull Moose Tube) pipe,
 1-1/4" & 1-1/2" on Fire-Flow pipe.
FM approved at 175 psi on the following sizes & pipes.
 1"-2" on WST (Weatland), Ultra Eddy (Bull Moose) pipe.
3. **3-1) UL Listed on the following sizes & pipe.**
 At 500 psi in 2-1/2", 5"-6" on BS1387(M), British Standard Medium Steel pipe,
 At 450 psi in 1-1/2" & 4" on Dyna-Flow pipe manufactured by Allied Tube & Conduit Corp,
 At 300 psi in size 10" & 12" on sch. 10 (0.188 in) pipe, 14" & 16" on Sch. 30 (0.375 in) pipe,
 At 250 psi in 18"-24" on Sch. 20 (0.375 in) pipe.
- 3-2) FM approved on the following sizes & pipe.**
 At 500 psi in 2-1/2", 5"-6" on BS1387 medium or heavy grade pipe.
4. **4-1) UL Listed at 300 psi on the following sizes & pipe.**
 1-1/4"-8", 3.0OD, 6.5OD on BS1387(M), British Standard Medium Steel pipe,
 1-1/4" & 2" on Eddylite pipe manufactured by Bull Moose Tube Co.,
 1-1/4" ~ 2" on Fine-Line Threadable pipe manufactured by Western International Forest Products Inc.,
 2" on Eddythread 40 pipe manufactured by Bull Moose Tube Co.
UL Listed at 175 psi on the following sizes & pipes.
 2"-3" on XL-II, XL pipe manufactured by Allied Tube & Conduit Corp,
 2"-4" on Dyna-Flow, Super-Flo pipe manufactured by Allied Tube & Conduit Corp,
 1-1/4"-4" on FLF pipe manufactured by Western International Forest Products Inc.,
 1-1/4", 2"-3" on SPS pipe manufactured by Yieh Phui Enterprise Co., Ltd.,
 1-1/4", 2"-3" on Sch. 5 pipe.

- 4-2) **FM approved at 300 psi on the following sizes & pipes.**
 2-1/2", 5"-6" on BS1387(M) medium or heavy grade pipe,
 1-1/4", 1-1/2" & 4" on Fire-Flow (Allied) pipe,
 1-1/2" & 2" on Fire-Thread pipe,
 1"~ 3" on Super40, Super-XL pipe,
 1"~2" on TL (Central) & LS pipe.
FM approved at 175 psi on the following sizes & pipes.
 1-1/4"~3" on XL-II (Allied) pipe,
 1-1/4"~ 2", 3"~4" on BS1387 pipe,
 1-1/4"~4" on Eddy-Flow, Super-Flo pipe,
 1-1/4"~2" on BLT, Eddylite, WST(Wheatland), Gal-5 (IDOD Systems) pipe,
 1"~2" on Ultra Eddy (Bull Moose) pipe,
 1-1/2" ~ 4" on Eddy-Flow pipe.

- 5. **5-1) UL Listed at 300 psi on the following sizes & pipes.**
 2"~6" on BS1387(M), British Standard Medium Steel pipe,
 14" & 16" on Sch. 30 pipe,
 18" & 20" on Sch. 20 pipe.
UL Listed at 250 psi in size 22" & 24" on Sch. 20 pipe.
5-2) FM approved at 175 psi in size 22" & 24" on Sch. 20 pipe.

- 6. **6-1) FM approved at 300 psi on the following sizes & pipes.**
 1-1/4"~6" on BS1387 pipe,
 1-1/4" ~ 3" on Super 40, Super-XL (Allied) pipe,
 1" ~ 4" on Dyna-Flow, Super-Flo (Allied) pipe,
 1"~2" on Ultra Eddy (Bull Moose) pipe,
 1-1/2"~2" on Fire-Thread pipe,
 1-1/4"~2" on Eddylite (Bull Moose), WST (Wheatland) pipe.

- 7. **7-1) UL Listed at 350 psi on the following sizes & pipe.**
 1-1/4"~4" on BS1387(M) British Standard Medium Steel pipe,
 2"~4" on Dyna-Flow, Super-Flo pipe manufactured by Allied Tube & Conduit Corp.
UL Listed at 300 psi on the following sizes & pipe.
 1-1/4"~2" on XL, BLT, WLT pipemanufactured by Allied Tube & Conduit Corp,
 1-1/4"~2" on WLS manufactured by Wheatland Tube Co.,
 1-1/4"~2" on Eddylite pipe manufactured by Bull Moose Tube Co.,
 1-1/4"~2" on Fire-Line Threadable pipe manufactured by Western International Forest Products Inc. 1-1/4"~1-1/2" on Dyna-Flow, Super-Flo pipe
 manufactured by Allied Tube & Conduit Corp,
 1-1/4"~4" on Mega-Flow pipe manufactured by Wheatland Tube Co.,
 1-1/4" on Eddy Flow pipe manufactured by Bull Mosose Tube Co.,
 3" & 4" on EZ-Flow pipe manufactured by Northwest Pipe Co.,
 1-1/4" & 2" on MT pipe manufactured by Wheatland Tube Co.
UL Listed at 175 psi on the following sizes & pipes.
 1-1/2"~ 3" on Eddy Flow pipe manufactured by Bull Mosose Tube Co.,
 1-1/4"~2" on Sch.5 pipe,
 6" on EZ-Flow pipe manufactured by Northwest Pipe Co.

- 7-2) FM approved at 350 psi in size 1-1/4" on XL pipe.**
FM approved at 300 psi on the following sizes & pipes.
 2"~4" on Dyna-Flow, Super-Flo pipe,
 1-1/4"~4" on Mega-Flow pipe.
FM approved at 175 psi on the following sizes & pipes.
 2"~4" on Dyna-Flow, Super-Flo pipe,
 1-1/4"~4" on Mega-Flow pipe,
 1-1/2"~3" on Eddy Flow, Fire-Thread pipe.

- 8. **8-1) UL listed at 300 psi on the following sizes & pipe.**
 1-1/4"~4" on Dyna-Flow manufactured by Allied Tube & Conduit Corp., and EF pipe manufactured by Bull Moose Tube Co., and Mega-Flow pipe
 manufactured by Wheatland Tube Co.,
 3"~4" on EZ-Flow pipe manufactured by Northwest Pipe Co.,
 1-1/4"~2" on Eddylite pipe manufactured by Bull Moose Tube Co., and MLT, WLS pipe manufactured by Wheatland Tube Co.
UL Listed at 175 psi on the following sizes & pipe.
 1-1/4"~4" on Eddy Flow pipe manufactured by Bull Moose Tube Co.,
 1-1/4"~2" on Sch. 5 pipe,
 6" on EZ-Flow pipe manufactured by Northwest Pipe Co.

- 8-2) FM approved at 350 psi in size 1-1/4"~2" on XL pipe.**
FM approved at 300 psi in size 1-1/4"~4" on Mega-Flow pipe.
FM approved at 175 psi in size 1-1/2"~3" on Fire-Thread, Eddy Flow pipe.

- 9. **9-1) UL listed at 175 psi on the following pipe.**
 3" OD, 4"~5" on BS1387(M) British Standard Medium Steel pipe,
 12" on Sch. 30 (0.330 in) pipe,
 10" on Sch. 10 (0.188 in) pipe.

- 9-2) **FM approved at 175 psi on the following pipe.**
 2-1/2, 4 on British Standard BS 1387 medium or heavy pipe,
 2" ~ 12", 14", 16" 24" Min schedule cut groove pipe to be joined : 8 in. or smaller Schedule 40,
 2" ~ 12", 14", 16" 24" Min schedule rolled groove pipe to be joined: 8 in. or smaller Schedule 10.
10. **10-1) UL listed at 300 psi in size 3"x2"-2-1/2", 4" x2-1/2"-3", 6"x4" on BS1387 and**
10-2) FM approved at 300 psi on BS1387 (M) or heavy grade pipe.
11. **UL listed at 175 psi in size 1-1/4"-2" on BS1387 pipe.**
12. **12-1) UL listed at 300 psi in size 1-1/4"-2-1/2" on XL, Super-Flo pipe, 175 psi in size 1-1/4"-2-1/2" on Dyna-Flow, XL-II, BS1387 pipe.**
12-2) FM approved at 300 psi in size 1-1/4"-2-1/2" on Dyna-Flow, XL, Super-Flo (Allied) pipe, 1-1/4"~ 2" on BLT (Allied) pipe, TL (Central), Eddylite (Bull Moose), WLS, LS (Wheatland) pipe.
13. **13-1) UL listed at 300 psi in size 2" x 2-1/2"-8" x 4" on BS1387 pipe.**
13-2) UL listed at 300 psi in size 3" x 1-1/2"-8" x 4" on BS1387 pipe.
14. **UL listed Light wall pipe shall be of the minimum wall thickness 0.188 in. Sch. 10.**
15. **UL listed Rolled and Cut grooved based on Sch. 30 (0.330") pipe.**
16. **Rolled and Cut grooved based on Sch. 20 (0.375 wall thickness pipe).**
17. **Rolled and Cut grooved based on Sch. 30 (0.375 wall thickness pipe).**
18. **FM approved: Minimum schedule cut groove pipe to be joined: 6" in or smaller – Sch. 40; 8" in or larger – Sch. 30.**
19. **FM approved: Minimum schedule roll grooved pipe to be joined: 6" or smaller – Sch. 10, 8 and 10" – 0.188 in wall; 12" – 0.250 in wall.**
20. **UL listed at 300 psi in size 76.1mm, 139.7mm, 165.1mm on Sch. 10S, 40S pipe.**
21. **a) Provides a rigid transition between flanged components and a grooved system.**
b) Min schedule cut groove pipe to be joined: 8 inches or smaller– Sch. 40.
c) Min schedule rolled groove pipe to be joined: 8 inches or smaller – Sch. 10.
22. **22-1) UL listed at 300 psi on the following sizes & pipe.**
 2" x 1/2" ~ 6" x 2-1/2" on MF pipe manufactured by Wheatland Tube Co.,
 2" x 1/2" ~ 4" x 2-1/2" on FF pipe manufactured by Youngstown Tube Co.,
 2" x 1/2" ~ 4" x 2-1/2" on DF pipe manufactured by Allied Tube and Conduit Corporation,
 2" x 1/2" ~ 3" x 2" on EF pipe manufactured by Bull Moose Tube Co.,
 3" x 1/2" ~ 6" x 2-1/2" on EZF pipe manufactured by Northwest Pipe Co.,
 2" x 1/2" ~ 2" x 1-1/2" on EZT pipe manufactured by Youngstown Tube Co.,
 5" x 2" ~ 5" x 3" on Sch. 40 pipe,
 2" x 1/2" ~ 6" x 2-1/2" on BS1387 (M) pipe.
UL listed at 200 psi on the following sizes & pipe.
 4" x 2-1/2" on DF pipe manufactured by Allied Tube and Conduit Corporation.
UL listed at 175 psi on the following sizes & pipe.
 4" x 3" and 6" x 3" on MF pipe manufactured by Wheatland Tube Co.,
 4" x 3" on FF pipe manufactured by Youngstown Tube Co., and DF pipe manufactured by Allied Tube and Conduit Corporation,
 4" x 3", 6" x 3" & 6" x 4" on Sch. 10, Sch. 40 pipe,
 4" x 3", 6" x 3" & 6" x 4" on EZF pipe manufactured by Northwest Pipe Co.,
 6" x 3" and 6" x 4" on BS1387 (M) pipe.
- 22-2) FM approved at 300 psi on the following pipe.**
 1-1/4" ~ 4" on Allied "Super-Flo", "Dyna-Flow" pipe,
 1" ~ 4" on Wheatland "Mega-Flow" pipe,
 1" ~ 2" on Wheatland "Mega-Thread" pipe,
 1" ~ 2" on Youngstown "EZ-Thread" pipe,
 1-1/2" ~ 4" on Youngstown "Fire-Flo" pipe,
 1-1/4" ~ 4" on Bull Moose "Eddy-Flow" pipe,
 3" ~ 6" on Northwest "EZ-Flow" pipe,
 1" ~ 6" on BS EN 10255 pipe.
FM approved at 175 psi on the following pipe.
 4" x 3", 6" x 3", 6" x 4" on Allied "Super-Flo", "Dyna-Flow" pipe,
 4" x 3" on Wheatland "Mega-Flow" pipe,
 1" ~ 2" on Wheatland "Mega-Thread" pipe,
 4" x 3", 6" x 4" on Youngstown "Fire-Flo" pipe,
 4" x 3", 6" x 4" on Bull Moose "Eddy-Flow" pipe,
 4" x 3", 6" x 3", 6" x 4" on Northwest "EZ-Flow" pipe,
 6-1/2"OD x 3", 6-1/2"OD x 4" on BS EN 10255 pipe.

- 23. 23-1) UL listed at 300 psi on the following sizes & pipe.**
2" x 1" ~ 6" x 2-1/2" on MF pipe manufactured by Wheatland Tube Co.,
2" x 1" ~ 4" x 2-1/2" on FF pipe manufactured by Youngstown Tube Co.,
2" x 1" ~ 4" x 1" on DF pipe manufactured by Allied Tube and Conduit Corporation,
2" x 1" ~ 3" x 2" on EF pipe manufactured by Bull Moose Tube Co.,
3" x 1" ~ 6" x 2-1/2" on EZF pipe manufactured by Northwest Pipe Co.,
2-1/2" x 1" ~ 2-1/2" x 1-1/2", 4" x 2-1/2", 4" x 76.1mm, 5" x 2", 5" x 2-1/2", 5" x 76.1mm, 5" x 3",
165.1mm x 1-1/4", 1-1/2", 2" & 76.1mm on BS1387 (M) pipe,
5" x 2", 5" x 2-1/2", 5" x 76.1mm, 5" x 3" on Sch. 40 pipe.
UL listed at 175 psi on the following sizes & pipe.
4" x 3" and 6" x 3" on MF pipe manufactured by Wheatland Tube Co.,
4" x 3" on FF pipe manufactured by Youngstown Tube Co.,
4" x 3", 6" x 3" & 6" x 4" on Sch. 10, Sch. 40 pipe,
4" x 3", 6" x 3" & 6" x 4" on EZF pipe manufactured by Northwest Pipe Co.,
6" x 3" and 6" x 4" on BS1387 (M) pipe.
- 23-2) FM approved at 300 psi on the following pipe.**
1-1/4" ~ 4" on Allied "Super-Flo", "Dyna-Flow" pipe,
1" ~ 4" on Wheatland "Mega-Flow" pipe,
1" ~ 2" on Wheatland "Mega-Thread" pipe,
1" ~ 2" on Youngstown "EZ-Thread" pipe,
1-1/2" ~ 4" on Youngstown "Fire-Flo" pipe,
1-1/4" ~ 4" on Bull Moose "Eddy-Flow" pipe,
3" ~ 6" on Northwest "EZ-Flow" pipe,
1" ~ 6" on BS EN 10255 pipe.
FM approved at 175 psi on the following pipe.
4" x 3", 6" x 3", 6" x 4" on Allied "Super-Flo", "Dyna-Flow" pipe,
4" x 3" on Wheatland "Mega-Flow" pipe,
1" ~ 2" on Wheatland "Mega-Thread" pipe,
4" x 3", 6" x 4" on Youngstown "Fire-Flo" pipe,
4" x 3", 6" x 4" on Bull Moose "Eddy-Flow" pipe,
4" x 3", 6" x 3", 6" x 4" on Northwest "EZ-Flow" pipe,
6-1/2"OD x 3", 6-1/2"OD x 4" on BS EN 10255 pipe.