


MODEL 95 GROOVE GAUGE

The **Shurjoint** groove gauge is a handy and helpful tool in checking both the groove diameter and pipe OD.

Size available: 1¼" (32 mm) through 36" (900 mm).



MODEL 96 CONTINUITY CLIP

Couplings with rubber gaskets are likely to function as an insulator. Where electrical continuity is required, the **Shurjoint** continuity clip will restore electrical continuity to the system. The electrical continuity clip satisfies IEE Wiring Regulations.

Material: Bronze (Copper is available upon request)



Model 96 Continuity Clip		
Model	Coupling Size	Box Q'ty/ pcs
#96-1	1" – 3"	125
#96-2	4" – 6"	125
#96-3	8" – 12"	100

Note: The pipe surface where continuity clips comes in contact must be conductive. If the surface is painted, the paint should be removed to expose bare metal.



Full warranty terms
can be found on
www.shurjoint.com

MODEL GR-600 GROOVE RULE

The **Shurjoint** Model GR-600 Groove Rule is designed to accurately measure the standard groove dimensions of pipe.

Features

- Made of steel and hard-chrome plated for durability, the GR-600 is easy to use and remain permanently accurate.
- Standard size gauges are made for groove diameters from 1" (25mm) through 24" (610mm).
- The GR-600 features two scales, the standard millimeter/centimeter scale and direct reading diameter.
- The rule contains Go/No-Go markings on one side for use with ANSI B36.19 and many ISO-4200 pipe sizes.
- Groove Rule are notched on the lead end to allow proper over lap within the groove for more accurate measurement.



General Notes:

- **Warning:** Piping systems must always be depressurized and drained before attempting disassembly and or removal of any components.
- **Shurjoint** reserves the right to change specifications, designs and or standard equipment without notice and without incurring any obligations.